

PRINCETON NURSERIES

Wholesale Price List SPRING 1958

Princeton, N. J.

Telephone WA 4-1776



FOREWORD

You are cordially invited to visit our nursery.

Our very complete assortment of ornamental stock is outstanding.

Shade trees are a Princeton specialty and trees of the finest quality are produced.

Our scientifically refrigerated and humidified storage rooms are the result of forty-five years of experience and close observation as to the exact requirements for the most ideal conditions under which to handle plants.

WM. FLEMER, JR. WM. FLEMER, III GEO. HARRIS

It is our constant aim to produce the finest stock that can be grown and to sell at reasonable prices.

See "Sales Yard Suggestions" Starting page 76

"A Helpful Service"
Starting page 79

How to Prune Your Princeton Trees for Planting See page 76

Hardiness Zone Map See page 84

Conditions of Sale PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

PLEASE NOTE

Because of the extremely high cost of filling orders for small quantities of assorted shrubs and many other small bare root items, we have found it necessary to discontinue our "1 to 9" price column on them. Where these items are required in lots of less than ten of a variety and size, prices will be twice the 10 to 49 rates.

TERMS

PRICES F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed **for payment in ten days from date of invoice.** Overdue accounts are subject to a 6% per annum service charge.

SPECIAL CASH DISCOUNT

5% discount will be allowed if cash, in full, is paid when order is placed and digging, or delivery, is scheduled for not less than thirty days after date of payment.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a **carefully dug**, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

Diam. of ball	Size	Estimated Weight	Each
OL OULL	220	8	and the case
10"	18/24"	30 lbs	80
12''	2/3'	45 lbs	
13"	3/4'	60 lbs	2.10
15"	4/5'	75 lbs	2.75
16"	5/6'	100 lbs	3.50
18"	6/8'	150 lbs	5.00
21''	8/10′	225 lbs	7.00
24''	2" cal.	300 lbs	9.00

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery noted below.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

BOXING CHARGES

Length	12x15"	15x16"	17x20''	19x24"	23x28"	27x32"	32x36"
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	2.60
6'	2.10	2.40	2.85	3.60	3.90	4.50	5.40
8'	2.80	3.20	3.80	4.80	5.10	6.00	7.20
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.00
12'	4.20	4.80	5.70	7.20	7.80	9.00	10.80
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Although we maintain and operate a number of trucks for delivery of our orders and for which a reasonable charge is made, it is very difficult for us to attempt to deliver the vast volume of material we produce and we strongly urge that our customers send their own trucks, or hire local trucks, to pick up their orders here at the nursery as soon as we send notification that orders are ready.

When you send your trucks for material, we will be very glad to load the stock carefully with our help and supply ample quantities of good damp packing material, without extra charge. We will handle the loads to the best of our ability and can even make arrangements to load your trucks in the evening, if necessary.

Be sure to bring tarpaulins or suitable coverings to protect the plants on the truck, so they will not dry out on the road.

If it is necessary for us to supply covering material and rope it will be charged for at cost.

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call WAlnut 4-1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

If travelling on New Jersey Turnpike from the south, use Exit 8 (Hightstown) or, if travelling from the north, use Exit 9 (New Brunswick). Route 1 can be reached easily from either exit.

NOTES IN EXPLANATION OF CATALOGUE


The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1942 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

ZONES RELATIVE TO HARDINESS—Following the ultimate height shown on each variety, you will find a number covering the most northern zone where the particular variety is considered hardy.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.



ABELIA GRANDIFLORA—Glossy Abelia. Full, heavily branched plants. Blooms all summer. Used extensively as an everblooming hedge.

·[A]·

	Unit Pric		
A DOTT VA 1101 OLAL (FI W)	1-9	10-49	50-249
ABELIA grandiflora, 3'-4' (Zone 5)		Glossy	Abelia
Evergreen. Lilac-white tinted flowers.	Blooms all		
15 to 18 in., B. R. Puddled		.70	.55
18 to 24 in., B. R. Puddled		1.05	.85
2 to 3 ft. B. R. Puddled		1.35	1.10
15 to 18 in., B&B	2.20	1.80	1.45
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	3.30	2.75	2.25
3 to 3½ ft., B&B	4.50	3.75	3.00
ACANTHOPANAX pentaphyllum (siebold	ianus) 7'-8'	(Zone	4)
MOMNITHOT MANA Pentaphynam (Slebola		Leafed	
Glossy rich green foliage. Thrives in			
exposures and dry locations. Good for	i siiaueu ai	cas, 110	i tilei ii
10 to 24 in	neage of		15
18 to 24 in		.55	.45 .55
2 to 3 ft		.70	.55
JAPANESE MAPLI			
ACER palmatum atropurpureum, 6'-8' (Zon	ie 5) Japani	ese Red	Maple
A good dwarf tree with rich purple lea	ves all sumi	ner. Doe	es best
in sun. Grafted from especially selected	ed strains w	vith the	finest
rich color.			
12 to 15 in., B&B	3.40	2.80	2.25
15 to 18 in., B&B	4.50	3.75	3.00
——— SELECTED SEEDLINGS, 10'-12' (2	Zone 5)		
(1	Japane	se Red	Maple
These seedlings have been carefully			
color.			
12 to 15 in., B&B	2.10	1.75	1.40
15 to 18 in., B&B	3.30	2.75	2.20
18 to 24 in., B&B	4.75	3.75	

1.10 1.50 2.50

 $\frac{.90}{1.25}$

2.00

 $\frac{1.30}{1.90}$

3.00

	1-9	10-49	JU-249
ACER buergerianum, 40' (Zone 6) A very fine, small growing tree. Constriking, brilliant fall foliage. Ideal in telephone or electric wires.	ompact crowdeo	Trident in growth d areas or	n. Has
5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	3.75 4.90 6.75	3.00 4.05 5.50	2.50 3.25 4.50
 campestre, 25' (Zone 4) An outstanding low growing tree wired distinct and interesting foliage. Slow dry locations and under overhead wired distinct. 	v growii	Hedge bark and ng. Excell	d very
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.90 3.00 4.10 6.25 8.00	1.50 2.50 3.50 5.15 6.50	1.25 2.00 2.75 4.20
- dasycarpum, 60'-80' (Zone 3)		Silve	r Maple
Quick growing, graceful. Leaves silver	rv under		z.zp.
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.	2.25 3.40 4.50	1.90 2.80 3.75	1.50 2.25 3.00
— pyramidalis, 60'-80' (Zone 3)	Pvra	mid Silve	r Maple
An attractive pyramidal form of Acer dand distinctive.			-
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 9 to 11 ft., 1½ to 1¾ in.	3.75 4.50 5.60 6.75	3.00 3.75 4.75 5.50	2.50 3.00 3.75 4.50
	Wie	r's Cutlea	f Maple
Graceful, drooping form. Deeply cut le			
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	2.25 3.00 4.50 6.35 8.75	1.90 2.50 3.75 5.30 7.25	1.50 2.00 3.00 4.25 5.75
ginnala, 10'-12' (Zone 2)		Amu	r Maple
Dense and compact in habit. Has bright hardy and fits into close quarters. E	t fall foli Excellent	age color.	Is verv

3 to 4 ft. 4 to 5 ft. 5 to 6 ft.

wires.



ACER platanoides—Norway Maple. A Princeton specialty. As fine as can be grown. Well-balanced tops. Straight trunks and very fine root systems.

NORWAY MAPLE STANDS DROUGHT

The most popular of all street trees. Through the drought periods of the past three summers, and most noticeably in 1957, this has been the tree that retained its dark green foliage without a sign of leaf scorch or drop throughout the entire summer.

	Unit Price in Quantities		
	1-9	10-49	50-249
ACER platanoides, 50'-75' (Zone 3)		Norway	Maple
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in	5.25	4.40	3.50
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50	6.00	5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	9.50	7.75	6.25
11 to 13 ft., 1¾ to 2 in	11.20	9.50	7.50
12 to 14 ft., 2 to $2\frac{1}{4}$ in	15.00	12.25	10.00
13 to 15 ft., 2¼ to 2½ in	17.50	15.50	12.50



ACER platanoides columnare—Columnar Norway Maple. Very useful where a narrow, compact tree is desired. Can be used as an effective screen or makes a stately street tree. Has very dark green foliage. ACER platanoides Crimson King—Crimson King Maple. The most outstanding of all colored foliage maples. Ours have well balanced tops with plenty of branches and

Unit Price in Quantities 1-9 10-49 50-249

ACER platanoides columnare, 50'-75' (Zone 3)

straight, heavy trunks.

Columnar Norway Maple

An outstanding, compact growing tree. Foliage is heavy and dark green. Very useful where a narrow dense tree is desired. Also useful in many areas where a heavy screen is wanted.

5	to 6 ft.		. 3.40	2.80	2.25
6	to 8 ft.		. 4.65	4.05	3.25
8	3 to 10 ft.,	1 to 1¼ in	. 6.75	5.50	4.50
		$1\frac{1}{4}$ to $1\frac{1}{2}$ in		7.50	6.00
10	to 12 ft.,	1½ to 1¾ in	. 12.00	10.00	8.00
11	to 13 ft.,	1¾ to 2 in	. 16.50	13.50	
12	to 14 ft.,	2 to 2¼ in	. 20.00	16.00	
12	to 14 ft.,	$2\frac{1}{4}$ to $2\frac{1}{2}$ in	. 24.00	20.00	
12	to 14 ft.,	$2\frac{1}{2}$ to 3 in	. 30.00	24.00	

—— Crimson King, 30'-40' (Plant Patent #735) (Zone 4)

Crimson King Maple

The most vivid and colorful of all purple leaved maples. Retains its bright rich color throughout the entire season.

An outstanding item to use as a small potted tree in sales yard operations because they show at once heavy heads of vivid colorful foliage. Grown under license by patent owner. See potting suggestions on page 78.

1	- F. O			
4 to 5 ft., branched		3.75	3.00	2.50
5 to 6 ft., branched		5.25	4.40	3.50
6 to 8 ft., branched		7.15	5.85	4.75



ACER platanoides schwedleri—Schwedler Maple. Our Schwedler Maple are very heavy and fine. Tops are full and well-branched.

 $\textbf{ACER platanoides schwedleri, 40'-60'} \ (\textbf{Zone 4}) \quad \textbf{Schwedler Maple}$

The ever popular purple leaved Schwedler Norway Maple. Slow growing and compact. In spring and early summer foliage is a rich reddish purple. Makes dense shade and, because of its slow growth and comparative small size at maturity, is often used as a colorful street tree where space is limited. Its bright colorful foliage makes it an excellent tree to pot for sales yard operations.

6 to 8 ft	4.65	4.05	3.25
8 to 10 ft., 1 to 1¼ in	6.75	5.50	4.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	8.75	7.25	5.75
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.50	8.80	7.00
10 to 12 ft., $1\frac{3}{4}$ to 2 in	14.30	11.70	9.50

- pseudoplatanus, 60' (Zone 5)

Planetree Maple

Vigorous growing. Spreading habit. Good in exposed locations and one of the most desirable trees for seashore planting. Strong growing. Forms a compact top, similar to Norway Maples.

6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in		4.40	3.50
8 to 10 ft., 1¼ to 1½ in		5.50	4.50
9 to 11 ft., 1½ to 1¾ in		7.00	5.50
10 to 12 ft., 1¾ to 2 in	10.50	8.80	7.00
10 to 12 ft. 2 to 2½ in	12.00	10.00	8.00


Please order in multiples of 10 shrubs and other small bare root items. See page 2 for explanation in box.



ACER rubrum—Red or Scarlet Maple. Our specially selected strain asexually reproduced. Outstanding characteristics are rapid growth, straight smooth trunks, well-balanced top structure and the most vivid fall foliage coloration.

	Unit P 1-9	rice in Qua 10-49	antities 50-249
ACER rubrum, 50'-75' (Zone 3)	Red	or Scarlet	Maple
Brilliant fall coloring. Excellent in dan	np locat	tions.	
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	2.00 2.70 3.75 5.25 7.50 10.25 13.50 15.00	1.70 2.25 3.00 4.40 6.00 8.40 11.00 12.25	1.35 1.80 2.50 3.50 5.00 6.75 9.00
—— columnare, 40'-50' (Zone 3) A fine columnar clone of the colorful Hoto narrow streets.	Red Mar	ole. Well a	dapted
4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	2.60 3.40 4.90	2.20 2.80 4.05	1.75 2.25 3.25
— saccharum, 50'-75' (Zone 3) A stately, long lived tree. Rich autumn tory in most locations. Not desirable additions.	n colorii under c	ng. Very s	Maple atisfac- ty con-
6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	4.10 5.60 8.50 11.20	3.50 4.75 7.00 9.50	2.75 3.75 5.50 7.50

	1.9	10-49	50-249
ACER saccharum columnare, 50'-75' (Zone 3)	Colum	nar Suga	o Monlo
A very beautiful Sugar Maple clone	noted f	or brilli	mt foll
foliage colors. Rapidly makes up into a	fine nar	or printe	ant tan
6 to 8 ft.	4 90	4 05	2 25
6 to 8 ft. 8 to 10 ft., 1 to 1¼ in.	6.75	5.50	3.25 4.50
SOLD OUT FOR SPRING BOOKING TO	0.10	0.00	4.50
SOLD OUT FOR SPRING. BOOKING FO			
ACTINIDIA arguta, 20'-30' (Zone 4)	-	Border A	ctinidia
Greenish white flowers in July. Rich da	rk greei	i foliage.	Vellow
perries. A strong growing vine.			
18 to 24 in		.60	.50
2 to 3 ft		.75	.60
AILANTHUS glandulosa, 50'-60' (Zone 4)			
Succeeds under most adverse city cond	ditions	Our tree	Heaven
specially selected female strain, entirely	fron fra	our trees	s are a
odors at flowering time.	1166 116	m object	ionable
10 to 12 ft., 2 to 2½ in	10.00	8.00	
AKEBIA quinata, 15'-20' (Zone 6)		Fiveleaf	Akebia
An excellent vine. Deep green. Purple	flowers	in May	Holds
foliage until winter. Large, bright, viole	et fruits.	. An idea	l cover
for low fences.		70	
2 year		.70	
ALBIZZIA julibrissin rosea, 15'-20' (Zone 6)		5	Silktree
A flat-topped, spreading, small tree. I	Pink, fu	zzv flow	ers all
summer. Dainty, finely cut leaves like	fern fro	nds.	
3 to 4 ft	1.40	1.20	1.10
4 to 5 ft	1.80	1.65	1.50
ALMOND, FLOWERING (See PRUNUS)			
ALTHEA (See HIBISCUS)			
AMELANCHIER canadensis, 20'-30' (Zone 4	F) [D	owny Sh	adblow
Juneberry. Early white flowers. Edible	e small	red fruit	. Very
popular as a flowering clump tree. 12 to 18 in	70		4 =
18 to 24 in.	.70	.55	.45
18 to 24 in	.80 1.00	.70 .80	.55
2½ to 3 ft.	1.00	1.00	.65 .80
	1.20		
AMORPHA fruticosa, 8'-10' (Zone 4)		Indi	gobush
Deep purple flowers in June. Spread	ling hal	oit. Toug	gh and
drought resistant.		1.00	0.0
4 to 5 ft		1.00	.80
5 to 6 ft.		1.25	1.00
AMPELOPSIS quinquefolia, 30'-50' (Zone 3)	\	Virginia (Creeper
(parthenocissus q.)	illiant a		louis a
Very adaptable. Rapid growing vine. Br	imant a	utumn co	
1 year		.25 .30	.20 .25
angalmanni 20' 40' (77 ang 4)			.25
——engelmanni, 30'-40' (Zone 4) Excellent self-clinging vine. Richly colo	Eng	eimann (reeper
1 year	red fair	.25	.20
2 year		.30	.25
- tricuspidata veitchi, 40'-50' (Zone 4)			
Dense, self-clinging vine. Blue-black berr	rios	DOST	on Ivy
1 year, No. 1	100.	.50	.40
——lowi, 6'-8' (Zone 5)		ranium C	
Dwarf type of veitchi, with smaller, d	ue o vinaa	ramum C	Voru
graceful and distinct.	cebry co	at Tomage	. very
3 in. pot		.80	.65
		.00	.00



AZALEAS in assortment. The most popular varieties.

AMYGDALIS nana (See PRUNUS GLANDULOSA)

ASH WHITE (See FRAXINUS)

Unit Price in Quantities

10-49

1.9

50-249

ANDROMEDA (See PIERIS) ARBORVITAE (See THUJA) **ARONIA arbutifolia 6'-8'** (Zone 5) Red Chokeberry Bright red berries in fall. .35 12 to 18 in. 18 to 24 in.55.45 **— brilliantissima**, **6'-8** (Zone 5) Brilliant-red Chokeberry Similar to arbutifolia but more brilliant berries. 18 to 24 in.55.45 2 to 3 ft.75.60 3 to 4 ft.90 .75- melanocarpa (Nigra), 8'-10' (Zone 4) Black Chokeberry White flowers in May. Black berries in fall. 18 to 24 in.55.45ASH GREEN (See FRAXINUS)

AZALEAS (RHODODENDRON)

AZALEA amoena (Rhodo, obtusum amoen	um), 3'-		
		Amoena	Azalea
Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter.	owers. A	pril-May.	Leaves
10 to 12 in., B&B	2.30	1.95	1.55
12 to 15 in., B&B	2.85	2.35	1.90

AZALEA hinodegiri, 3'-4' (Zones 6 and 7) Evergreen. Larger leaves and looser flowers very bright scarlet; effective dodendron.	growtl	n than A	moena:
8 to 10 in., B&B 10 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B	2.00 2.30 2.85 3.75	1.70 1.95 2.35 3.00	1.35 1.55 1.90 2.75
- kaempferi, 4'-5' (Zone 4) Warm brick-red flowers, May. Hardy an 18 to 24 in., B&B	d very 4.50	Torch desirable. 3.75	Azalea 3.00
AZALEA KAEMPFERI HYBRI	DS (Zo	ne 4)	
Carmen—Rose-pink flowers. 9-12", 12-15", 15 Cleopatra—Lilac-rose flowers. 15-18", 18-24" Fedora—Salmon-rose flowers. 9-12", 12-15", 15 Louise—Light-rose flowers. 10-12", 12-15", 15 Othello—Brick-red flowers. 10-12", 12-15", 15	15-18" 5-18" 5-18"		
Wilhelmina Vuyk—The very best hardy wh 10 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	nite. 10-1 2.30 2.85 3.75 4.90	12", 12-15", 1.95 2.35 3.00 4.05	15-18", 1.55 1.90 2.50 3.25
KURUME AZALEAS—EVERGRI	EEN (Z	one 6)	
Christmas Cheer—Crimson. 10-12", 12-15"			
Pink Pearl—Salmon rose flowers. 10-12", 12			
Snow—Large pure white flowers. 8-10", 10-1. 8 to 10 in., B&B 10 to 12 in., B&B 12 to 15 in., B&B	$\frac{2.00}{2.30}$	$1.70 \\ 1.95 \\ 2.35$	1.35 1.55 1.90
— ledifolia alba (Indica), 4'-6' (Zone 5) Evergreen. Large single white flowers, f striking background for Azalea hinodegi time.	reely pr ri, bloor	oduced. M	Azalea (akes a e same
10 to 12 in., B&B	2.30 2.85 4.10	1.95 2.35 3.50	1.55 1.90 2.75
— macrantha fl. pl., 2½'-3' (Zone 5) Large, salmon-red, hose-in-hose flower	Red	d Salmon .	Azalea
11	s in J	une. The	latest
blooming of all evergreen Azaleas. Gloss	s in J sy, box-	like foliag	e.
10 to 12 in., B&B 12 to 15 in., B&B	rs in J sy, box- 2.30 2.85	like foliag 1.95 2.35	e.
10 to 12 in., B&B	rs in J sy, box- 2.30	like foliag 1.95 2.35 3.50	e.
10 to 12 in., B&B 12 to 15 in., B&B	rs in J sy, box- 2.30 2.85 4.10	like foliag 1.95 2.35 3.50 Korean	e. Azalea

·[B]·

BAYBERRY (See MYRICA)
BEACH PLUM (See PRUNUS)
BEAUTYBUSH (See KOLKWITZIA)

BERBERIS—HARDY EVERGREEN TYPES

BERBERIS julianae, 4'-6' (Zone 5) Medium growth. Broad spined leaves. E Most popular of all evergreen Barberr	vergreen	_	
12 to 15 in., B&B	2.25 3.00 4.10 5.60	1.90 2.50 3.50 4.75	1.50 2.00 2.75 3.75
— triacanthophora, 4'-6' (Zone 5)	Three	Spine Ba	arberry
Fast growing, evergreen. Spined lea flowers. Its fine texture and graceful of unusual foundation plant.	ves, bus drooping	hy habit tips mak	e it an
9 to 12 in., B&B	2.25 3.00 4.10	1.90 2.50 3.50	$1.50 \\ 2.00 \\ 2.75$
BERBERIS—DECIDUOUS	TYPES		
BERBERIS mentorensis, 4' (Zone 5)	N	Mentor Ba	arberry
Upright type with dark green foliage. Very drought resistant.			_
12 to 15 in. 15 to 18 in.	.70 .90	.55 .75	
Un	it Price in	a Quantiti	es
Un 1-9	it Price in 10-49	a Quantiti 50-249	es 250 up
1-9 — thunbergi, 4'-5' (Zone 5)	10-49 Ja	50-249 panese Ba	250 up arberry
1-9	10-49 Jaj all winte	50-249 panese Ba r. Excelle	250 up arberry ent bar-
— thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries	10-49 Jaj all winte	50-249 panese Ba r. Excelle	250 up arberry ent bar-
— thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries a rier because of spiny growth. Richly of 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp.	Jayall winte colored for .22 .33 .40	50-249 panese Bar. Excelle all foliage .18	250 up arberry ent bar- e. .14 .22
— thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of the spin spin spin spin spin spin spin spin	Ja: all winter colored for .22 .33 .40	50-249 panese Bar. Excelle all foliage .18 .27 .35	250 up arberry ent bar- e. .14 .22 .28
— thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries a rier because of spiny growth. Richly of 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp.	Ja: all winter colored for .22 .33 .40	50-249 panese Bar. Excelle all foliage .18	250 up arberry ent bar- e. .14 .22
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of the spiny growth of the spiny growth of the spiny growth of the spiny growth of the spiny growth. Richly of the spin	Jayall winter colored for .22 .33 .40 e 5) .11 .16 .22	50-249 panese Bar. Excelle all foliage .18 .27 .35	250 up arberry ent bar- e. .14 .22 .28 .07½ .10 .15
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of the spiny growth of the spiny growth of the spiny growth of the spiny growth of the spiny growth. Richly of the spin	Ja: all winte colored for .22 .33 .40 e 5) .11 .16 .22 Unit P: 1-9	panese Bar. Excellerall foliage .18 .27 .35 .09 .13 .20	250 up arberry ent bar- e. .14 .22 .28 .07½ .10 .15 antities 50-249
 thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of the spiny growth. Ric	Ja: all winte colored f22 .33 .40 e 5) .11 .16 .22 Unit P: 1-9 Red Ja	panese Bar. Excellers all foliage .18 .27 .35 .09 .13 .20 rice in Quantum 10-49 panese Bar.	250 up arberry ent bar- e14 .22 .28 .07½ .10 .15 antities 50-249 arberry
- thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of 9 to 12 in., 2 yr. trsp. 12 to 15 in., 2 yr. trsp. 15 to 18 in., 2 yr. trsp. - thunbergi, 2 year, not transplanted (Zone 9 to 12 in. 12 to 15 in. 15 to 18 in. 15 to 18 in. - atropurpurea, 4'-5' (Zone 5) Reddish-purple type of thunbergi. Exceyard operation. 9 to 12 in.	Ja: all winte colored f22 .33 .40 e 5) .11 .16 .22 Unit P: 1-9 Red Ja	panese Bar. Excelled all foliaged .18 .27 .35 .09 .13 .20 rice in Quantum 10-49 panese Bar putting in .30	250 up arberry ent bar- e. .14 .22 .28 .07½ .10 .15 antities 50-249 arberry in sales .25
 thunbergi, 4'-5' (Zone 5) Rugged, low hedge plant. Red berries rier because of spiny growth. Richly of the spiny growth. Ric	Ja: all winte colored f22 .33 .40 e 5) .11 .16 .22 Unit P: 1-9 Red Ja	panese Bar. Exceller all foliage .18 .27 .35 .09 .13 .20 rice in Quantum 10-49 panese Bar putting in	250 up arberry ent bar- e14 .22 .28 .07½ .10 .15 antities 50-249 arberry in sales



BETULA alba (pendula)—European White Birch, Our White Birch are well-branched and of exceptional quality, and

CRATAEGUS oxycantha pauli—Paul's Scarlet Hawthorn. Good straight trunks and symmetrical, well-balanced tops. (See page 25)

> Unit Price in Quantities 1-9 10-49 50-249

*BETULA alba (pendula), 30'-50' (Zone 2) Europ	ean White	e Birch
Very attractive tree with white bark. Where a large multiple stem clump is desired, several trees can be planted together,			
giving an immediate pleasing effect.			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.10	3.50	2.75
10 to 12 ft	5.25	4.40	3.50
12 to 14 ft.	7.50	6.00	5.00

*—— laciniata (pen. laciniata), 30'-40' (Zone 2)

		Weeping	
Deeply cut leaves. Silvery white bark.	Drooping	branches	S.
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft.	3.00	2.50	2.00
6 to 8 ft.	4.10	3.50	2.75
- lenta , 40'-50' (Zone 3)		Sweet	Birch
Has attractive smooth, reddish bark, and	d conspict	uous catk	ins in
spring.	•		
5 to 6 ft	2.60	2.20	1.75

 5 to 6 ft.
 2.60
 2.20
 1.75

 6 to 8 ft.
 3.75
 3.00
 2.50

 8 to 10 ft.
 4.65
 4.00
 3.25

Additional charge for multiple stems according to quality.

	Unit Pri	ice in Qua 10-49	ntities 50-249
*BETULA lutea, 50'-70' (Zone 2) Has silvery to light orange bark. Mat turesque tree. Upright habit.	ures into	Yellow a rugge	
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	2.60 3.75 4.65 6.75	2.20 3.00 4.00 5.50	1.75 2.50 3.25 4.50
*—papyrifera, 40' (Zone 2) The most permanent and desirable o Birches. Slow to turn white but a perolder.	f all the	or Canoe white k lk white	oarked
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.90 2.60 3.75 4.80	1.50 2.20 3.00 4.00	1.25 1.75 2.50
*— populifolia, 30'-40' (Zone 4) Thrives in poor or sandy soil. White planting.	bark. De	Gray sirable in	Birch mass
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.50 1.90 2.25	1.25 1.50 1.90	1.00 1.25 1.50
*EXTRA CHARGE FOR DIGGING SEE B&B SCHEDULE PA		ES B&B	
BIGNONIA grandiflora, 25'-40' (Campsis gr	r.) (Zone	7)	
Orange-yellow trumpet-like flowers in 1 year 2 year ——Mme. Gallen, 25'-40' (Campsis Mme. GA beautiful hybrid with dark orange,	July and ::: Sallen) (2 very lar	.60 .75 Zone 7) Trumpetc ge flowe	.50 .60
1 yr., 18 to 24 in		.60 .75 Trumpetc	_
1 year BIOTA (See THUJA ORIENTALIS)		.37	.30
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
BOX (See BUXUS)			
BRIDALWREATH (See SPIREA PRUNIF BUCKTHORN (See RHAMNUS) BUDDLEIA (Zone 5) Summer F. — Fascination, 4'. Orchid. 12-18"; 18-24" — Ile de France, 4'. Dark purple, fragrant. — Pink Charming, 4-6'. Long panicles of ping 2-3'	lowering 18-24"; 2-3	3′	
 — Princeton Purple, 4'. 18-24"; 2-3' — Princeton Red, 4'. 12-18"; 18-24" — Princeton White, 4'. 12-18"; 18-24"; 2-3' Above varieties at following prices: 12 to 18 in. 18 to 24 in. 2 to 3 ft. 		.37 .45 .55	.30 .35 .45
BUTTERFLY BUSH (See BUDDLEIA)			

	Unit P 1-9	rice in Qua 10-49	ntities 50-249
BUXUS sempervirens, 12'-15' (Zone 5)		Commo	n Box
Evergreen. Rapid growth. Useful for fo	ormal h	edges.	
6 to 8 in., B.R. 8 to 10 in., B.R. 10 to 12 in., B.R. 10 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B	1.90 2.20 2.60	.55 .75 1.10 1.50 1.85 2.20	.45 .60 .90 1.25 1.45 1.75
-suffruticosa, 3'-4' (Zone 5)	Dw	arf Englis	h Box
Evergreen. Extensively used for edging			
4 to 6 in., B.R. 6 to 8 in., B.R. 8 to 10 in., B&B 10 to 12 in., B&B 12 to 15 in., B&B	1.75 2.25 3.00	.45 .60 1.40 1.90 2.50	.35 .50
·[c]·			
CALLICARPA purpurea, 4'-5' (Zone 6)	Chin	ese Beaut	yberry
Lilac-violet berries, especially attractive habit.	ve in A	August. Gr	aceful
12 to 15 in. 15 to 18 in. 18 to 24 in.	• • •	.45 .55 .70	.35 .45 .55
CALYCANTHUS floridus, 4'-5' (Zone 4)		Sweet	Shrub
An old garden favorite, with fragran	nt, darl	x reddish-	brown
12 to 18 in		.45 .55	.35 .45
CAMPSIS (See BIGNONIA)			
CARPINUS betulus, 30' (Zone 4)	Eur	opean Hor	nbeam
A very handsome, slow growing tree.			
3 to 4 ft., B&B	3.75 7.50 10.75	$3.00 \\ 6.00 \\ 9.00$	
- caroliniana, 30'-40' (Zone 4)		rican Hor	nbeam
Bluish-green foliage. Low, bushy. Excell well in shade.			
18 to 24 in., B.R	1.50 2.00 3.30	1.25 1.65 2.75	
CARYOPTERIS incana (mastacantha), 2'-3'	(Zone 5)	Blue	Spirea
Lavender-blue flowers, September-Octobe Requires protection. Also called Bluebe	er. Spler ard.		
9 to 12 in. 12 to 15 in. 15 to 18 in.	• • •	.30 .45 .55	.25 .35 .45
Please order in multiples of 10 shrub bare root items. See page 2 for ex	s and o planatio	ther small n in box.	

CELASTRUS orbiculatus, 15'-20' (Zone 4) Rapid growing, high climbing shrubby			
ing to expose red seeds in fall.	ville. Of	ange man	open
18 to 24 in., 1 year		.37 .50	.30 .40
CELTIS laevigata, 50'-60' (Zone 5)	<u> </u>	Sugar Hac	kberry
A slow growing tree with spreading be round head. Does not form "witches be	ranches : room" b	forming a ranchlets.	broad,
5 to 6 ft		$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$
— occidentalis, 50'-60' (Zone 2) Resembles a slow growing Elm. Compassoil.	et in hab		kberry in dry
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 9 to 11 ft., 1¼ to 1½ in.	2.60 3.75 5.25 7.50	2.20 3.00 4.40 6.00	1.75 2.50 3.50 5.00
CEPHALANTHUS occidentalis, 5'-6' (Zone Fragrant, creamy white flowers born September. Good foliage. Likes moistu	ne in ro		onbush 5 July-
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.55 .75 .95	.45 .60 .75
CERCIDIPHYLLUM japonicum, 20'-30' (Z Excellent symmetrical tree. Beautiful s colors.			
3 to 4 ft., B.R. 4 to 5 ft., B.R. 5 to 6 ft., B.R. 6 to 8 ft., B.R. 8 to 10 ft., B.R.	3.75 5.25 6.75 9.00 10.50	3.00 4.40 5.50 7.50 8.80	• • • • • • • • • • • • • • • • • • • •
CERCIS canadensis, 12'-15' (Zone 4)		merican F	Redbud
Rosy pink flowers in April. Also called 2 to 3 ft	.85 1.30	.70 1.10	.55 .90
— chinensis, 10'-12' (Zone 6) A most interesting, compact growing Cercis canadensis. Very heavy bloomi for sales yard operations. Makes an idea hedge. Has interesting heart-sha	shrub. Deng. Exce deal larg ped folia	llent for po e, broad fl age. 	than otting ower-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.90 1.30 2.10 2.50	.75 1.10 1.75 2.10	.60 .90 1.40 1.65





CHAMAECYPARIS plumosa and plumosa aurea. Sheared plants of fine quality at low cost.

CHAMAECYPARIS—THE RETINOSPORAS

CHAMAECYPARIS PLUMOSA and CHAM. PLUMOSA AUREA are both good for sales yard operations. They are sizable plants for the price and are ideal to offer the customer who wants a large plant at low cost. Both varieties make an excellent showing on development plantings at low cost.

	Unit 1-9	Price in Qu 10-49	antities 50-249
— plumosa , 25 ′- 35 ′ (Zone 3)]	Plume Reti	nospora
Evergreen. Dense, fine texture. Shears	well.	Bright gre	en.
15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	1.95 2.60 3.40 4.50	1.60 2.20 2.80 3.75	1.30 1.75 2.25 3.00
—— aurea, 20'-25' (Zone 3)	C	anden Retii	nospora
Foliage golden yellow. Similar in habit	to pl	umosa.	
12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	1.95 2.40 3.00 3.75	2.00	1.30 1.60 2.00 2.50
— squarrosa veitchi, 25′-30′ (Zone 3) Foliage blue gray, feathery and dense.		Moss Retir	nospora
12 to 15 in., B&B	1.95	1.60	1.30

CHERRY, FLOWERING (See PRUNUS)

	t Price in Quantities 10-49 50-249
CHIONANTHUS virginicus, 15'-18' (Zone 4) Abundant tassel-like white flower May-June 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	$ \begin{array}{ccc} 1.00 & .80 \\ 1.25 & 1.00 \\ 1.45 & 1.20 \end{array} $
CHRISTMASBERRY (See PHOTINIA)	
CITRUS trifoliata, 15'-20' (Zone 8) An ornamental variety with sharp spines. formal hedge. Should be planted in protecte 18 to 24 in., B&B 2 to 3 ft., B&B 3.00 2 to 3 ft., B&B 4.10 3 to 4 ft., B&B 5.40 CLADRASTIS lutea (tinctoria), 30'-40' (Zone 5) A striking tree with long panicles of fragrandation.	ed location. 2.50 3.50 4.50 Yellowwood
2 to 3 ft. 3 to 4 ft. CLEMATIS paniculata, 20'-25' (Zone 5) Sweet White fragrant flowers. September. Woolly step lent vine. 1 year	t Autumn Clematis eed pods. An excel-
2 year	.55 .45
Its interesting foliage and spicy, fragrant we through September, make this one of the medium growing shrubs. Thrives in moist A splendid contrast plant for Azaleas and 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	te most desirable, t, shady locations. d Rhododendrons. .45 .35 .55 .45 .75 .60
 alnifolia rosea, 4'-5' (Zone 3) Large spikes of clear, pink flowers with spine September. Pleasing contrast if interplanted white variety. 12 to 18 in. 18 to 24 in. 	in masses with the .55 .45
COFFEETREE (See GYMNOCLADUS)	
Yellow flowers June-August. Does well in day 4 to 5 ft.	.95
5 to 6 ft	1.20
Bright red bark. Porcelain blue fruits. Quick	Branched Dogwood grower. Excellent
for winter effects. Very adaptable. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - amomum (sericea), 10' (Zone 5) Pale blue fruits. Young twigs purple. Prefers	.75 .60 Silky Dogwood
18 to 24 in	.45 .35 .55 .45 .75 .60







CORNUS florida (right)—White flowering Dogwood and CORNUS florida rubra (left)—Red flowering Dogwood. Shapely, well-balanced trees with full tops. The last word in flowering Dogwood. Ours have many flower buds.

CORNUS florida, 15'-25' (Zone 4) Whiteflowering Dogwood	
White flowers. A most popular spring flowering small tree. Reberries.	d
2 to 3 ft., B.R. 1.50 1.25 1.0 3 to 4 ft., B.R. 2.50 2.05 1.6 4 to 5 ft., B.R. 3.75 3.00 2.5 5 to 6 ft., B&B 9.00 7.50 6.0	35 50
— rubra, 15'-20 ' (Zone 5) Redflowering Dogwood	d
Beautiful bright red flowers in spring. Very striking.	
18 to 24 in., B.R. 2.25 1.90 1.50 2 to 3 ft. B.R. 3.00 2.50 2.00 3 to 4 ft., B.R. 5.25 4.40 3.50	0
0 to 1 tt., D.1t	U
 kousa, 16'-18 ' (Zone 5) Kousa Dogwood	d
White flowers in June. Conspicuous cherry-like scarlet fruits Attractive to birds.	3.
18 to 24 in., B&B	
2 to 3 ft., B&B	
mas, 20'-25' (Zone 4) Cornelian Cherry	У
Handsome, large shrub. Small yellow flowers in April. Shining scarlet fruits in fall.	g
18 to 24 in	
2 to 3 ft	-



CORNUS stolonifera—Red-Osier Dogwood CORNUS sanguinea—Bloodtwig Dogwood CORNUS amomum—Silky Dogwood (See page 20) Our two-year cut back shrubs are of fine quality.

	Unit P	rice in Qu 10-49	
CORNUS paniculata (racemosa), 10'-12' (Zo Small white flowers, May. White fruits		_	Oogwood
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	• • • •	.50 .60 .80 1.00	.40 .50 .65
 — sanguinea, 8'-10' (Zone 4) Dark red branches. Good foliage. Does w 		odtwig I	Dogwood
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.45 .55 .75 .95	.35 .45 .60 .75
— stolonifera, 7'-8' (Zone 2) Spreading. Dark red bark. White fruit locations.			Dogwood n damp
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		.45 .55 .75 .95	.35 .45 .60 .75
——lutea (flaviramea), 6'-7' (Zone 3) Bright yellow bark. Excellent for winter			Dogwood
18 to 24 in		.50 .60	.40 .50

	1-9	10-49	50-249
COTONEASTER acutifolia, 10'-12' (Zone 4)	F	eking Coto	neaster
Small pink flowers in clusters. Black fr			
15 to 18 in., B&B	1.90	1.50	
18 to 24 in., B&B	$\frac{2.25}{3.00}$	$\frac{1.90}{2.50}$	2.00
3 to 4 ft., B&B	3.75	$\frac{2.50}{3.00}$	$\frac{2.00}{2.50}$
— dielsiana, 4'-5' (Zone 5)		Diels Coto	neaster
Upright growth.			
12 to 15 in., 6 in. pots	1.50	1.25	
- divaricata, 5'-6' (Zone 5)	Spre	eading Coto	neaster
Handsome shrub bearing glossy leaves	and b	right red f	ruits.
18 to 24 in., B&B	$\frac{2.50}{3.40}$		$\frac{1.65}{2.25}$
— franchetii, 5'-6' (Zone 6)	Fra	anchet Coto	neagter
Evergreen, upright, orange berries.	1.10	inchet Coto	neaster
12 to 15 in	1.50	1.25	1.00
15 to 18 in., 6" cans	1.90	1.50	1.25
18 to 24 in., B&B	2.50	2.05	1.65
— horizontalis (davidiana), 2'-3' (Zone 4) An outstanding variety for sales yard foliage. Abundant fruits are bright red	l. Ric	Rock Coton h, small, b	
	1.25	1.05	.85
	l.65 2.10	$1.35 \\ 1.75$	$\begin{array}{c c} 1.10 \\ 1.40 \end{array}$
—— perpusilla, 2'-3' (Zone 6)	G	round Coto	neaster
Similar to horizontalis but has smaller	leave	s and large	r fruit.
9 to 12 in., 6" pot	1.65	1.35	1.10
12 to 15 m., 6 pot	2.10	1.75	1.40
— salicifolia, 4-5 ′ (Zone 6)	Willo	wleaf Coto	neaster
Partly evergreen. Spreading. Red ber Cotoneaster. One of the best broad leafe locations.	ries. d eve	The finest rgreens for	large shady
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.10	1.75	1.40
18 to 24 in., B&B	2.70	2.25	1.80
— Simonsi, 5'-6' (Zone 5)		mon's Coto	neaster
Almost evergreen. Good grower with location 15 to 18 in., B&B	ose na 2.10	1.75	1.40
18 to 24 in., B&B	$\frac{2.10}{2.50}$	$\frac{1.15}{2.05}$	1.65

CRABAPPLE (See MALUS)

CRATAEGUS coccinea, 15'-20' (Zone 4) Thicket Hawthorn Shrubby habit with long curved spines and oval-shaped leaves. Large white flowers and large red fruits in autumn.

_		3			
5 to 6	ft., B&B		11.20	9.50	
			13.40	11.70	



CRATAEGUS phaenopyrum (cordata) Tree Form-Washington Hawthorn. Make handsome little shade trees. Good under overhead wires. One row of HALESIA tetraptera — Great Silverbell. Another excellent small growing flowering tree.

		Price in Qua 10-49	
CRATAEGUS crusgalli, 15' (Zone 4)		Cockspur	Thorn
Deep green shiny leaves make this Haw	thorn	distinctive.	White
flowers are conspicuous. Makes an exc	ellent	broad hedg	ge and
impenetrable thorny barrier.			
	1.65	1.35	1.10
2 to 3 ft., B.R	2.50	2.05	1.65

	Downy Hav	vthorn
family.	Has excepti	onally
all tree	is quite for	mal in
•		
11.20	9.50	7.50
		9.50
17.00 20.00	$14.25 \\ 16.00$	$11.50 \\ 13.00$
	ight red all tree single s prefer. 11.20 14.30 17.00	family. Has excepting the red fruits. Folionally tree is quite for single stems. Also prefer. Good under 11.20 9.50 14.30 11.70 17.00 14.25

— oxycantha, 12'-15' (Zone 4)		English	
Single white flowers. Very distinct in			
irregular growth. Excellent in inform	al mass	plantings	and in
naturalizing borders.		_	
3 to 4 ft., B.R.	3.00	2.50	2.00
4 to 5 ft., B.R.	4.50	3.75	3.00
5 to 6 ft., B&B	11.20	9.50	7.50
6 to 8 ft., B&B	14.30	11.70	
8 to 10 ft., B&B	17.00	14.25	
4 to 5 ft., B.R. 5 to 6 ft., B&B 6 to 8 ft., B&B	4.50 11.20 14.30	3.75 9.50 11.70	3.00 7.50





CYDONIA japonica—Flowering Quince. Two-year transplanted plants of the finest quality.

1		.	
		Price in Qua	
	1-9	10-49	50-249
CRATAEGUS oxycantha pauli, 12'-15' (Zone			
	Paul's	Scarlet Ha	wthorn
Double scarlet flowers.			
4 to 5 ft., branched	3.00	2.50	2.00
5 to 6 ft., branched	4.50	3.75	3.00
6 to 7 ft., branched	6.00		4.00
- phaenopyrum (cordata), 12'-15' (Zone 4)	Wasl	nington Ha	wthorn
Colorful in fall. Makes an excellent hedg		_	
2 to 3 ft., B.R.	1.65		1.10
3 to 4 ft., B.R.		$\frac{1.05}{2.05}$	1.65
4 to 5 ft., B.R.	$\frac{2.30}{3.40}$		$\frac{1.05}{2.25}$
5 to 6 ft., B.R.		$\frac{2.30}{4.75}$	
6 to 8 ft., B.R.	8.50	$\frac{4.75}{7.00}$	$5.70 \\ 5.50$
0 to 8 ft., D.H.	0.00	7.00	0.00
The Form 19' 17' (7 and 4)	TTO ale:	noton ITorr	thonn
——Tree Form, 12'-15' (Zone 4)		_	
These trees have been specially trimm			
tree form, with straight trunks and a	good t	ops. Make	hand-
some little shade trees with glossy f	oliage	and long-la	asting
scarlet fruit.			
3 to 4 ft., B.R	2.60	2.20	1.75
4 to 5 ft., B.R	3.75	3.00	2.50
/	6.00	5.00	4.00
- nyracantha lalandi (See PYRACANTHA)			

— pyracantha lalandi (See PYRACANTHA)

CYDONIA japonica (chaenomeles lagenaria), 4'-5' (Zone 4)

 Flowering Quince

 Scarlet flowers, April, May. Spicy fruits make fine jelly.

 12 to 18 in.
 .30
 .25

 18 to 24 in.
 .50
 .40

 2 to 3 ft.
 .70
 .55

CYDONIA HYBRIDS, 4'-5' (Zone 4) Boule de feu, double red, 12-18"; 18-24"; 2 Cardinalis, red flowering, 12-18"; 18-24"; 2 Nivalis, white flowering, 12-18"; 18-24" Rosea plena, semi-double pink, 12-18"; 18 Superba atrosanguinea, red flowering, 1 Vermilion, clear vermilion-red flowers, 1	2-3' 2-3' 8-24" 12-18"; 1	.8-24"	uince
12 to 18 in. 18 to 24 in. 2 to 3 ft.		.50 .75 1.00	.40 .60 .80
CYPRESS (See CHAMAECYPARIS)			
·[D]·			
DEUTZIA gracilis, 3' (Zone 4) Heavily laden with snow-white flowers shrub.	in Ma	Slender De ay. Useful f	
9 to 12 in. 12 to 15 in. 15 to 18 in.	• • • •	.37 .50 .70	.30 .45 .55
——rosea, 3' (Zone 4) Similar in growth to above but with pir		e panicle De	eutzia
15 to 18 in		.60 .75	.50 .60
— lemoinei, 4'-5' (Zone 4) Large flowering, white, June.		Lemoine De	eutzia
15 to 18 in		.45 .55	.35 .45
— scabra candidissima, 6'-8' (Zone 4) Graceful habit. Double white, June.	Sr	nowflake De	eutzia
18 to 24 in		.45 .55	.35 .45
——crenata fl. pl., 6'-8' (Zone 5) Tall growing, vigorous, with double pal		ble Pink De	eutzia
18 to 24 in	_	.45	.35
2 to 3 ft		.55 .70	.45 .55
——Pride of Rochester, 9'-10' (Zone 5) Pink changing to white, June. Fast gro		Flowered Do	eutzia
18 to 24 in		.45	.35
2 to 3 ft		.55 .70	.45 .55
4 to 5 ft.		.90	.70
DOGWOOD (See CORNUS)			

	Unit P. 1.9	rice in Qua 10 -4 9	ntities 50-249
ELAEAGNUS angustifolia, 15'-18' (Zone 4) Silvery leaves and branchlets. Orange bable conditions.	oerries.		
18 to 24 in	• • •	.45 .60	.35 .50
— longipes (multiflora), 6'-8' (Zone 4) Silvery leaves. Yellow flowers, fragrant. ripening in July. 12 to 18 in	May. I		
18 to 24 in		.75	
— umbellata, 8'-10' (Zone 3) Powdery green leaves. Clusters of ambered 12 to 18 in. 18 to 24 in. 2 to 3 ft.	r berrie		
ELM (See ULMUS)			
ENGLISH IVY (See HEDERA)			
Most useful and adaptable. Has attract formal in habit. The peculiar winged to esting. In fall foliage turns to bright massing and for use in a large informal as a potted sales yard item. When you to include enough for your fall sales. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 3½ ft.	tive cor wig form claret r hedge. pot in It is a	ky bark, mation is ed. Super Very desi spring be	Quite inter- b for rable sure
—— compactus, 4'-5' (Zone 3) Dwarf form of alatus. Compact. Excelled fall coloring.	arf Wi ent for	nged Euo hedge. Bi	nymus rilliant
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	• • • • • • • • • • • • • • • • • • • •	.70 .95 1.25 1.75	1.00 1.40
— europaeus, 12'-14 ' (Zone 4) Pink fruits on long stalks, persisting a lo	_	an Burnir e.	ngbush
18 to 24 in	• • •	.50 .60	.40 .50
— patens (sieboldianus), 6'-8' (Zone 7) Evergreen. Very vigorous. Forming bro Has ornamental fruits.	-	ding Euo ner loose	
15 to 18 in., B&B	$2.50 \\ 3.40 \\ 4.50$	2.05 2.80 3.75	1.65 2.25





EUONYMUS alatus — Winged Euonymus. Extra fine three-year plants. Very adaptable. Excellent for screen and good in border plantings. Bright crimson fall coloring. Euonymus hedges need trimming only once a year. (See page 27)

EUONYMUS radicans, 3'-4' (Zone 5)

Wintercreeper

Evergreen. Self-clinging vine. Good for covering low walls; also useful for under-planting among evergreens.

6 to 9 in., 1 year	 .45	.35
9 to 12 in., 2 year	 .55	.45
12 to 15 in., 2 year	 .70	.55 70

—— colorata, 3′ (Zone 5)

Purpleleaved Wintercreeper

Evergreen. Foliage is narrow and long, becoming a rich, reddish purple in the fall. Good in low foundation plantings and under low windows. Desirable for winter contrast with other evergreens. Foliage remains until new growth starts in spring and is quickly replaced by the rich, green, glossy new leaves. The 15-18" and 18-24" sizes are ideal to pot for sales yard use, giving you an inexpensive, good-looking evergreen plant.

9 to 12 in., 1 year	 	.25	.20
12 to 15 in., 2 year	 	.37	.30
15 to 18 in., 2 year	 	.50	.40

	Unit Pi 1-9	rice in Qua 10-49	ntities 50-249
EUONYMUS radicans vegetus, 4' (Zone 5) Evergreen. Bushy. Leaves round, dull cellent among evergreens. Makes good	green. S	Scarlet fru Jedge or l	it. Ex- porder.
6 to 9 in., 2 year		.60 .75	.50 .60 .80
EXOCHORDA grandiflora, 6'-9' (Zone 4) Dazzling, white flowers, May. Is impro	Con	nmon Pea pruning.	
18 to 24 in. 2 to 3 ft		.50	.40 .50
3 to 4 ft. 4 to 5 ft.		$\begin{array}{c} .75 \\ 1.00 \end{array}$.60 .80
·[F]·			
FAGUS sylvatica riversi, 50'-60' (Zone 4) Grafted plants. A selected, dark purple Beech. Slender when young but grows tree.	e form o	of the Eur	ropean
18 to 24 in., B&B	3.75 5.50	4.50	
FALSE SPIREA (See SORBARIA)	7.50	6.00	
FIR DOUGLAS (See PSEUDOTSUGA)			
FIRETHORN (See PYRACANTHA)			
FLEECEVINE (See POLYGONUM)			
FLOWERING CHERRIES (See PRUNUS)			
FLOWERING CRAB (See MALUS)			
FLOWERING PEACH (See PRUNUS PER	SICA)		
FLOWERING QUINCE (See CYDONIA) FORSYTHIA intermedia spectabilis, 6'-8' (Z	one 4)		
$^{\circ}$ S	howy Bo	order For	sythia
Most profuse of all. Rich golden yellow 18 to 24 in. 2 to 3 ft		.50 .60	.40 .50
—— Lynwood Gold, 5'-7' (Zone 4) L Erect branches completely smothered un	ynwood der deep	Gold Fors	svthia
same as spectabilis but with broader pe 18 to 24 in	tals.	.55 .70	.45 .55
Spring Glory, 6'-8' (Zone 4) New Pale lemon-yellow flowers in profusion	Spring (
18 to 24 in		.55	.45
2 to 3 ft		.70 .80	.55 .65
— suspensa, 4'-6' (Zone 5) Bright yellow. Drooping. Excellent on b	Wee	eping Fors	
12 to 18 in		.37 .50	.30 .40
2 to 3 ft		.60	.50
——fortunei, 7'-8' (Zone 5) Bright yellow. Strong grower. Arching.	For	tune Fors	ythia
18 to 24 in		.50	.40
2 to 3 ft		$.60 \\ .75$.50 .60
			.00

	Unit Price in Quantities		
	1-9	10-49	50-249
FRAXINUS americana, 70'-80' (Zone 3)		Wh	ite Ash
Medium grower. Good fall coloring. At	home in	n moist lo	cations.
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1¼ in	3.75	3.00	2.50
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25	4.40	3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	9.00		6.00
10 to 12 ft., $1\frac{3}{4}$ to 2 in	11.20	9.50	7.50
— lanceolata, 50'-60' (Zone 3) Rapid straight growth. Has dark green	foliage a		en Ash s in dry
locations.			
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1¼ in	3.75	3.00	2.50
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25		3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	9.00	7.50	6.00
·[G]·			
GINGKO biloba (Salisburia), 50'-75' (Zone	4)	Maidenha	ir Tree
Picturesque, exotic, stately. Distinct fo		aped like l	Maiden-

GLEDITSIA Shademaster Princeton Upright Thornless Honeyloci	Shademaster Locust
Plant Patent No. 1515—See pages 32 and	

GLEDITSIA triacanthos inermis, 60'-70' (Zone 4)

4 to 5 ft.

5 to 6 ft.

6 to 8 ft.

hair fern. Immune from insects. Very desirable.

Thornless Honeylocust

2.80

3.50

4.40

2.75

3.50

4.10

5.25

Greatly improved strain. Propagated by budding. Straight trunks, symmetrical tops, and dark green foliage. Quick growing. A special Princeton selection.

0	_				
5	to 6 ft.		3.00	2.50	2.00
				3.50	2.75
8	to 10 f	c., 1 to 1¼ in	5.80	4.85	3.85
9	to 11 f	1., 1% to $1%$ in	8.50	7.00	
10	to 12 f	$1., 1\frac{1}{2}$ to $1\frac{3}{4}$ in	11.20	9.50	
10	to 12 f	t., 1¾ to 2 in	13.50	11.00	

— — aurea

COLE'S NEW SUNBURST LOCUST Plant Patent No. 1313

(Zone 4)

Bright golden-bronze on tips of branches. Brilliant coloring is limited to 8 to 10 inches of branch tips. Tree is well formed and symmetrical with spreading habit. Proved to be a "sellout" item in sales yards last spring.

4 to 5 ft. whips	2.60	2.20	1.75
5 to 6 ft. whips		$\frac{2.50}{2.50}$	2.05
	3.75	3.00	$\frac{2.03}{2.50}$
6 to 7 ft. whips		0.00	
7 to 8 ft. whips		3.75	3.00
5 to 6 ft., 2 yr. branched	5.25	4.40	3.50
6 to 7 ft., 2 yr. branched	6.40	5.40	4.30
7 to 8 ft., 2 yr. branched	7.70	6.20	5.10
8 to 10 ft., 2 vr. branched	9.50	7.75	6.25

GLEDITSIA triacanthos inermis Moraine® (Zone 4)	(Plant	Patent No Moraine		
This variety of Honeylocust is a patented variety covered by United States Plant Patent No. 836. The name "Moraine" is trade-marked in the United States and Canada, and is being handled under license from the patent and trade-mark owner. Thornless, seedless, and in terrific demand.				
5 to 6 ft., whips	$2.70 \\ 3.30 \\ 4.00$	2.25 2.75 3.35	$2.00 \\ 2.50 \\ 3.00$	
GOLDENCHAIN (See LABURNUM)				
GYMNOCLADUS dioicus, 40'-50' (Zone 4) Light blue-green foliage. Slow growing. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.		tucky Coffesque outli 1.50 1.90 2.50 3.75 5.00		
·[H]·				
HACKBERRY (See CELTIS)				
HALESIA monticola, 40' (Zone 4) The tree form of the Silver Bell. Ideal as tion specimen.		untain Sil ^ı l lawn or f		
2 to 3 ft	$\frac{1.10}{1.45}$	$\frac{.95}{1.20}$.75 .95	
— tetraptera (carolina), 12'-15' (Zone 4) One of the finest of the popular small f drought resistant. These trees are carefulation trunk form. White bell-shaped flowers along the branchlets.	ully trii	nmed into	est and single	
One of the finest of the popular small f drought resistant. These trees are caref	ully trin in May, 1.20 1.50 2.25 3.40	g trees. Penmed into profusely 1.00 1.25 1.90 2.80	est and single borne .80 1.00 1.50 2.25	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4)	ully trin in May, 1.20 1.50 2.25 3.40	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch	est and single borne .80 1.00 1.50 2.25 h-hazel	
One of the finest of the popular small f drought resistant. These trees are carefitrunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb	ully trin in May, 1.20 1.50 2.25 3.40	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch	est and single borne .80 1.00 1.50 2.25 h-hazel	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4)	ully trin in May, 1.20 1.50 2.25 3.40	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch	est and single borne .80 1.00 1.50 2.25 h-hazel	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. — virginiana, 10'-12' (Zone 4)	1.20 1.50 2.25 3.40 Veruary.	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch	est and single borne .80 1.00 1.50 2.25 h-hazel resting .45 Hazel	
One of the finest of the popular small f drought resistant. These trees are carefi trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. — virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall	1.20 1.50 2.25 3.40 Veruary.	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch	est and single borne .80 1.00 1.50 2.25 h-hazel resting .45 Hazel	
One of the finest of the popular small f drought resistant. These trees are carefi trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. — virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall locations. 18 to 24 in.	ully trin in May, 1.20 1.50 2.25 3.40 Veruary. .70 Comr . Good	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch in moist,	.80 1.00 1.50 2.25 h-hazel resting .45 Hazel shady	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. - virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall locations. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	ully trin in May, 1.20 1.50 2.25 3.40 Veruary. .70 Comr	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch in moist,	.80 1.00 1.50 2.25 h-hazel resting .45 Hazel shady	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. - virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall locations. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. HAWTHORN (See CRATAEGUS)	ully trin in May, 1.20 1.50 2.25 3.40 Veruary. .70 Comr . Good .60 .90 1.20	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch in moist, .50 .75 1.00	est and single borne .80 1.00 1.50 2.25 h-hazel resting .45 Hazel shady .40 .60 .80	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. - virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall locations. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. HAWTHORN (See CRATAEGUS) HAZELNUT (See CORYLUS)	1.20 1.50 2.25 3.40 Veruary. .70 Comr . Good .60 .90 1.20 1.50	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch in moist, .50 .75 1.00 1.25	est and single borne .80 1.00 1.50 2.25 h-hazel resting .45 Hazel shady .40 .60 .80	
One of the finest of the popular small f drought resistant. These trees are carefy trunk form. White bell-shaped flowers along the branchlets. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. HAMAMELIS vernalis, 6'-8' (Zone 4) Pale yellow flowers January and Feb winter flowering variety. 18 to 24 in. - virginiana, 10'-12' (Zone 4) Yellow ribbon-like flowers in late fall locations. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. HAWTHORN (See CRATAEGUS)	1.20 1.50 2.25 3.40 Veruary. .70 Comr . Good .60 .90 1.20 1.50	g trees. Penmed into profusely 1.00 1.25 1.90 2.80 ernal Witch Very inter .55 non Witch in moist, .50 .75 1.00 1.25 Engli	est and single borne .80 1.00 1.50 2.25 h-hazel resting .45 Hazel shady .40 .60 .80	



SHADEMASTER LOCUST—Princeton Upright Thornless Honeylocust—Plant Patent No. 1515.



SHADEMASTER LOCUST 1-year whips. Note straight trunks, staking not required.

Introducing the

SHADEMASTER LOCUST

PRINCETON UPRIGHT THORNLESS HONEYLOCUST

(Zone 4)

Plant Patent No. 1515

For many years there has been a growing need for new and better shade trees. We have been striving to produce a Thornless Honey-locust with all the characteristics which are so evident in the photograph on the opposite page, and to eliminate all of the faults common in ordinary Honeylocusts. We have painstakingly examined over 20,000 individual trees in this program. Our long effort has resulted in the development of what we and our visitors proclaim to be the FINEST THORNLESS HONEYLOCUST AVAILABLE.

We were assisted in our final selection by a large panel of expert professional arborists. (The Princeton Upright Thornless Honeylocust was for many years the famous Number 13 in our research program.)

Its outstanding characteristics are:

1—Straight,	strong	trunk
T NOT CLINETING	2010112	OI CLINIC

- 2—Ascending branches
- 3—Heavy, dark green foliage
- 4—Requires no staking
- 5—Rapid growth
- 6—Transplants easily
- 7—Freedom from diseases and insect pests
- 8—Drought resistance

- 9—Holds foliage late in the fall
- 10—Deep roots
- 11—Does not heave sidewalks
- 12—Grass will grow right up to the trunk
- 13—No leaf raking in the fall
- 14—Forms unbelievably symmetrical tops—a radical departure from other Honeylocusts

THE TREE OF TODAY

for Streets, Lawns and Parks

SOLD OUT FOR SPRING

The overwhelming acceptance of this fine new tree has been far beyond our fondest hopes. Sorry, we have none to offer this spring, but we have good quantities in production and can now accept orders for Fall 1958 and Spring 1959, for limited quantities only, subject to trees making the normal expected growth, as follows:

	Unit Price in Quantities		
	1-9	10-49	50-249
Two years or more—branched			
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft.	6.00	5.00	4.00
8 to 10 ft., 1 to 1¼ in	8.50	7.00	5.50
9 to 11 ft., 1¼ to 1½ in	11.20	9.50	7.50
10 to 12 ft., 1½ to 1¾ in	13.50	11.00	

	Unit		in Qua 0-49	antities 50-249
HEDERA helix baltica, 20'-50' (Zone 4) A very hardy strain of Hedera helix.				ish Ivy
2¼ in. pots	.30		.25	.20
—— colchica, 20'-50' (Zone 5) The outstanding evergreen ground cove Huge leaves up to six inches across. 15 to 18 in., 2¼ in. pots	er for		shady	ish Ivy areas.
HEMLOCK (See TSUGA)				
HIBISCUS syriacus (Althea), 10'-12' (Zone Rather formal in outline, flowering in Also called Rose of Sharon. Ardens, double rose violet Comte de Haimont, double pink, whit Jeanne d'Arc, semi-double white Lucy, double rose-red Pulcherrimus, double pink, crimson con Purpureus semiplenus, semi-double pur Rubis, single red	Augu te mo enter	ıst and		
Totus alba, single white				
12 to 18 in. 18 to 24 in. 2 to 3 ft.			.30 .45 .55	.25 .35 .45
— coelestis, 10'-12' (Zone 5) 12 to 18 in			.37	Althea .30 .40
HONEYLOCUST (See GLEDITSIA)				
HONEYSUCKLE (See LONICERA)				
HOLLY (See ILEX)				
HORNBEAM (See CARPINUS)	, ,			43
HYDRANGEA arborescens grandiflora alba				one 4) Irangea
Large double white flower panicles foliage.	in A	ugust.	Rich	green
12 to 18 in			.40 .50	.30 .40
- Otaksa, 2'-3' (Zone 5) Blue flowers throughout the summe acid soil for best color. Does better 6 to 9 in. 1 yr. field grown		ould b	e plai	
heavy strong roots			.50	.40
9 to 12 in., 1 yr. field grown heavy strong roots			.60	.50
— paniculata grandiflora, 8'-10' (Zone 4) Very showy. Large closely packed pani August. Turn pink later.				lrangea wers in
10 . 10			.37 .50	.30 .40
— quercifolia, 3'-4' (Zone 5)	O	ak Lea	f Hyd	lrangea
Leaves shaped like an oak leaf. Beautifuceeds in shade. Very desirable.	al aut	umn e	olorin	g. Suc-
12 to 18 in. 18 to 24 in. 2 to 2½ ft.	• • •		.75 1.00 1.25	.60 .80



ILEX crenata Hetzi. A good strong grower. Becoming very popular. (See page 36)

	Unit P 1-9	rice in Qua 10-49	ntities 50-249
HYPERICUM aureum, 3'-4' (Zone 5) Yellow, July and August. Blue-green for	oliage.	Dense hab	oit.
18 to 24 in		.50	.40
— Hidcote, 2' (Zone 5) A much improved Moserianum from Enabundant flowers. Stronger grower, and made for potting. 12 to 15 in	gland.	dcote Hype Bigger and as hardy. .50	1 more
15 to 18 in		.70 .90	.55 .70
— kalmianum, 3'-5' (Zone 5) Covered with large, yellow flowers in	I August.	Kalm Hype	ericum
0.4.0.04		.50 .60	.40 .50
·[1]·			
ILEX crenata, 8'-10' (Zone 6) Evergreen. Box-like leaves. Deep green	. Black	Japanese berries.	Holly
12 to 15 in., B&B	2.40 3.40	2.00 2.80	$\frac{1.60}{2.25}$
——convexa (bullata), 4'-5' (Zone 5)	Con	vex-leaved	Holly
Evergreen. Slow growing. Shiny convex 12 to 15 in., B&B	foliage 3.00 3.75 4.90 6.75	2.50 3.00 4.05 5.50	2.00 2.50 3.25

ILEX crenata Hetzi, 5'-6' (Zone 5) A new llex crenata clone which origin vania. Large convex foliage, dark glos convexa but larger and very resistant plant, grows rapidly. Broader than tall	ssy green t to spide	orthern Pe , much lik	ke llex
12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	3.00 3.75 4.90 7.15 9.00	2.50 3.00 4.05 5.85 7.50	2.00 2.50 3.25 4.75 6.00
— microphylla, 6'-8' (Zone 5) Evergreen. Small leaves. Quite hardy.		Japanese	Holly
12 to 15 in., B&B	2.25 3.30 6.75	$1.90 \\ 2.95 \\ 5.50$	1.50 2.20 4.50
— rotundifolia, 8'-10' (Zone 5) Large dark green foliage on a stroplant. Ideal for medium sized formal heplant.	ng growi	f Japanese .ng globe-s l as a foun	shaped
12 to 15 in., B&B	$3.00 \\ 3.75 \\ 4.90$	$2.50 \\ 3.00 \\ 4.05$	$2.00 \\ 2.50 \\ 3.25$
— glabra, 5'-6 ' (Zone 3) Evergreen. Shiny dark green leaves. I	Purplish		kberry Black
berries. Good in shade or sun. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ in., B&B	2.25 2.85 3.75 4.90	1.90 2.35 3.00 4.05	1.50 1.90 2.50 3.25
- glabra compacta, 3'-4' (Zone 5) Foliage and berries like glabra. Extra The hardiest, dwarf, broadleaf evergreen	remely co	ompact In ompact in row.	kberry habit.
9 to 12 in., B&B	2.60 3.40 4.90	2.20 2.80 4.05	1.75 2.25 3.25
— opaca, berried, 45'-50' (Zone 5)		American	_
Evergreen. Does best in moist, partial 12 to 18 in., B&B	11y shade 2.25 3.00	d location 1.90 2.50	
— verticillata (prinos), 6'-8' (Zone 3) A deciduous Holly. Has vivid red berriter. Foliage is narrow and rich gree AREAS. One of the very finest berritereates striking effects.	en. THRI	n persist a VES IN	DAMP
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.70 .85 1.05 1.30 1.65 2.00	.55 .70 .90 1.10 1.35 1.70	.45 .55 .70 .90 1.10 1.35

INKBERRY (See ILEX)

IVY (See AMPELOPSIS or HEDERA)

·[J]·

JAPANESE MAPLE (See ACER palmatum)
JAPANESE QUINCE (See CYDONIA)





JUNIPER chinensis hetzi—Hetz Blue Juniper. One of the finest medium spreading, fast growing Junipers. Full, compact, vigorous plants.

	Unit P 1-9	rice in Qu 10-49	antities 50-24 9
JASMINUM nudiflorum, 3' (Zone 5) Yellow, April-May. Needs protection in the first to bloom in the spring.		Winter J rn states.	
18 to 24 in	• • •	.37 .50 .60	.30 .40 .50
JUDAS TREE (See CERCIS)			
Fast growing. Narrow columnar. Gray g	umnar green fo 2.40	Chinese 3 oliage. 2.00 2.50	ne 4) Juniper
—— glauca hetzi, 5'-7' (Zone 4) Fast growing. Blue-green foliage. Mediu 15 to 18 in., B&B	ım spre	2.50	oit. 2.00
——chinensis pfitzeriana, 5'-6' (Zone 4) Gray-green, feathery appearing. Broad, ular.			
15 to 18 in., B&B	3.40 5.00	2.80 4.00	2.25 3.25

	Unit I 1-9	Price in Qua 10-49	antities 50-249
JUNIPERUS chinensis sargenti, 1½' (Zone Evergreen, prostrate habit. Grass-green cover and rock plant.	4) foliage.	Sargent J Valuable	
9 to 12 in., B&B 12 to 15 in., B&B	$\frac{1.90}{2.60}$	$\frac{1.50}{2.20}$	$\frac{1.25}{1.75}$
—— hibernica, 20'-30' (Zone 2)		Irish J	Juniper
Narrow pyramid. Gray-green foliage. 12 to 18 in., B&B	1.75 2.10 2.70	$\begin{array}{c} 1.40 \\ 1.75 \\ 2.25 \end{array}$	1.15 1.40
- excelsa stricta, 10'-12' (Zone 2)	_	ny Greek J	-
Broad-based pyramid. Gray-green foliag 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	2.00 2.50 3.30	y popular. 1.70 2.05 2.75	1.35 1.65 2.20
— horizontalis Bar Harbor, 6"-12" (Zone 2)		r Harbor J	_
Gray-green foliage. Very prostrate. A Very effective among rocks. Good und	ler sea	shore con	cover. ditions.
9 to 12 in., B&B 12 to 15 in., B&B	$\frac{1.75}{2.50}$		
——plumosa (depressa plum.) (Zone 4)		Andorra 3	Juniper
Spreading type. Hardy. Purplish in win			1.40
12 to 15 in., B&B 15 to 18 in., B&B	$\frac{2.10}{3.00}$	$\frac{1.75}{2.50}$	$\frac{1.40}{2.00}$
18 to 24 in., B&B	$\frac{3.90}{5.25}$	$\frac{3.25}{4.40}$	$\frac{2.60}{3.50}$
·[K]·			
KALMIA latifolia, 8'-10' (Zone 3 or 4) Evergreen. Pink flowers, June. Glossy:	foliago	Mountain Profess	
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	4.10	3.50	2.75
KOELREUTERIA paniculata, 25'-30' (Zone Bright yellow flowers in July. A very small tree. Also called Goldenraintree.			
3 to 4 ft	$\frac{2.50}{3.75}$	$\frac{2.05}{3.00}$	$\frac{1.65}{2.50}$
KOLKWITZIA amabilis, 6'-8' (Zone 5) A distinctive pink flowering shrub. Ve	rv effe		ıtybush
15 to 18 in.		.45	.35
18 to 24 in		.55	.45
·[L]·			
LABURNUM vulgare, 30' (Zone 5) Attractive, small tree with yellow pea-	shaped		enchain in long
racemes. 6 to 8 ft.	5.60	4.75	3.75



	Unit Pr 1-9	rice in Qua 10-49	antities 50-249
LABURNUM vossi, 18'-20' (Zone 5) This is a selected hybrid of vulgare v	vith larg		enchain howier
flower clusters. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	4.10 5.25 7.15	3.50 4.40 5.85	2.75 3.50
LARCH (See LARIX)			
LARIX europea (decidua), 50'-60' (Zone 5) Grows rapidly. Especially good for spri	ng effec	European	Larch
2 to 3 ft., B&B	3.30	2.75	
LAUREL (See KALMIA)			
LEUCOTHOE catesbaei, 3'-4' (Zone 4) Evergreen. White flowers, May. Glossy f 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	oliage. R 2.40 3.30	oping Let tich fall co 2.00 2.75 3.75	oloring. 1.60 2.20
Uni 1-9	t Price ir 10-49	Quantiti 50-249	es 250 up
LIGUSTRUM amurense, 14'-15' (Zone 3)			Privet
Semi-evergreen. Upright. Olive-green fo 12 to 18 in	.18	.15	.12
— ibolium, 8'-10 ' (Zone 4)		Ibolium	
Similar to California Privet, but much 12 to 18 in	.12 .17 .23	.10 .14 .19	





LIGUSTRUM ovalifolium — California Privet. Heavily branched two-year cut back plants.


	Unit 1-9	Price in 0 10-49		s 25 0 up
LIGUSTRUM obtusifolium (ibota), Good dense habit; flowers and berries. Very hardy.	•			
12 to 18 in		.25 .30 .45 .55	.20 .25 .35 .45	
——regelianum (ibota regel.), 5'-6' Low, dense spreading. Very de			Regal	Privet
12 to 18 in		.30 .45	.25 .35	
— vicari, 8'-10' (Zone 4) Striking yellow foliage. Clear of 10 to 12 in		r. Does b		
— ovalifolium, 12'-15' (Zone 5)		Ca	.25 .lifornia	Privet
Most popular hedge plant. Glos 12 to 18 in		foliage. .11 .14 .22	.09 .11 .18	.08 .10 .15
LILAC (See SYRINGA)				

LINDEN (See TILIA)



LONICERA tatarica alba—Princeton quality

	Unit Price	o in Ouer	atitiou
	1.9		
LONICIEDA fragmentinsima ('9' (7ana 5)	- 0		.,
LONICERA fragrantissima, 6'-8' (Zone 5) White fragrant flowers. April-May. Ser	w Inter	noneys Mak	og on
ideal large informal hedge and foliage	ic rotaino	en. Mak	oto in
fall.	is retained	very 1	ate III
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.75	.60
— japonica halliana, 15'-25 ' (Zone 4) Hal			
Vine. Almost evergreen. Free blooming	white and	vellow	Verv
fragrant Ideal for covering steen banks	21		
2½ in. pots		.25	.20
— morrowi, 7'-8' (Zone 3)	Morrow	Honevs	ruckle
Spreading habit. White flowers, May,	June Re	d herrie	S
18 to 24 in	built, ite	45	.35
2 to 3 ft		.55	.45
2 to 3 ft. — tatarica alba, 9'-10' (Zone 4) White	e Tatarian	Honeys	suckle
White flowers. Red fruit. Very adaptabl	.е.		
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
4 to 5 ft		.80	.65
5 to 6 ft.		1.00	.80
5 to 6 ft. — tatarica rosea, 9'-10' (Zone 4) Pinl	k Tatarian	Honeys	suckle
Pink flowers. Rea fruit, very adaptable.			
18 to 24 in		.45	
2 to 3 ft		.55 .70	.40
3 to 4 ft			
4 to 5 ft. — zabelli, 9'-10' (Zone 4)	od Zaball	Joneys	oo. Aldane
An improved strain of red tatarian Hor	neu Zaben	Honeys	SUCKIE
18 to 24 in	ieysuckie.	.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
4 to 5 ft		.80	.65



MAGNOLIA SOULANGEANA

(arrows indicate buds)

The most popular of all Magnolias.

An excellent sales yard item.

QUANTITIES ARE LIMITED.
ORDER NOW.

Unit Price in Quantities 1-9 10-49 50-249

·[M]·

MAGNOLIA glauca (virginiana), 15'-20' (Z			veetbay
Fragrant creamy white flowers, May. moist location.	Nearly	evergreen.	Prefers
12 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B	2.60 3.40 4.10 5.25 6.75 9.00	2.20 2.80 3.50 4.40 5.50 7.25	1.75 2.25 2.75 3.50 4.40 5.75
— soulangeana, 15'-18' (Zone 5)		Saucer M	lagnolia
Purplish-pink flowers, May. Most poplants. Well branched and budded. Ou	opular. utstandi	Beautifully ng quality.	grown
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B 3 to 4 ft., B&B	4.10 5.60	$\frac{3.50}{4.75}$	$\frac{2.75}{3.75}$
,		lexander M	
This variety is very similar to soulang and deeper color.	geana, b	ut a few da	ys later
18 to 24 in., B&B 2 to 3 ft., B&B	$3.75 \\ 5.25$	$\frac{3.00}{4.40}$	$\frac{2.50}{3.50}$
——lennei, 15'-18' (Zone 5)		Lenne M	[agnolia
Late blooming. Rich, deep purple flow 18 to 24 in., B&B	wers in 3.75		
— werbanica, 12'-15' (Zone 5) Rich orchid flowers, May. Very brigh ing type which escapes frost injury.	t and v	'erbanica M ivid. A late	lagnolia bloom-
18 to 24 in., B&B	3.75 5.25	3.00 4.40	

	Unit Pr 1-9	ice in Qu 10-49	antities 50-249
MAGNOLIA stellata, 8'-10' (Zone 5)		Star M	agnolia
Shrubby habit. Fragrant semi-double leaves.	flowers	coming	_
12 to 18 in., B&B	3.75 6.00 8.50	3.00 5.00 7.00	$2.50 \\ 4.00 \\ 5.50$
—— rosea, 8'-10' (Zone 5) Pink flowering form of above.	Rosy	y Star M	agnolia
12 to 18 in., B&B	3.75 6.00 8.50	$3.00 \\ 5.00 \\ 7.00$	$2.50 \\ 4.00 \\ 5.50$
 tripetala, 30'-40' (Zone 4) Very large leaves, 8 inch. Fragrant w large seed pods. Handsome novelty for effect. 	hite flow	brella M vers. Att a bold, t	ractive
12 to 18 in., B&B	2.10 2.70 3.90 5.50	1.75 2.25 3.25 4.50	
MAHONIA aquifolia, 4' (Zone 5)	Orego	on Holly	Grape
Evergreen. Glossy leaves, scarlet in aut May. Blue-black berries. Likes partial sh	umn. Ye		
10 to 12 in., B&B	1.90 2.25 3.00 4.50 6.00	1.50 1.90 2.50 3.75 5.00	1.25 1.50 2.00 3.00 4.00
MAIDENHAIR (See GINKGO)			
MALUS—FLOWERING (CRAB		
MALUS arnoldiana, 8'-10' (Zone 4) White flowers. Very compact.		Arnol	ld Crab
3 to 4 ft	1.10	.95	.75
— astrosanguinea, 10'-15' (Zone 4) Single red flowers in abundance.		Carmir	ne Crab
3 to 4 ft	$\frac{1.10}{1.50}$	$\frac{.95}{1.25}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$
 baccata, 20'-25' (Zone 2) Very hardy. Pure white flowers in proor red fruits. These trees are grown from Seeds were taken from selected stock. 		Wax-like	
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.50 2.25 3.40 4.50	1.25 1.90 2.80 3.75	1.00 1.50 2.25 3.00
- coronaria Charlotte, 15' (Zone 4) Doub		ering Co	ronaria
Strong grower. Good fall foliage. Pink a 3 to 4 ft.	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00

MALUS eleyii, 10'-15' (Zone 4) A free blooming crab. Reddish foliage,	_	Flowering	_
ous grower. 4 to 5 ft	1.50	1.25	1.00
	-	Flowering	g Crab
Single rose-colored flowers. Yellow fru 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.10 1.50 2.25	.95 1.25 1.90	.75 1.00 1.50
— halliana parkmani, 10'-15' (Zone 4) Semi-double pink. Compact habit. Slow	arowina	Parkmaı	n Crab
2 to 3 ft	1.50 2.25 2.60	1.25 1.90 2.20	1.00 1.50
	~	Flowering	g Crab
Rose-red flowers. Red fruit. Hardy, attraction 3 to 4 ft	1.10 1.50 2.25	.95 1.25 1.90	.75 1.00 1.50
- ioensis plena, 10'-15' (Zone 4)	. 11	Bechte	l Crab
Large double bright pink. Fragrant. L 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	ate bloor 1.10 1.50 1.90 2.25	.95 1.25 1.50 1.90	• • • •
 Katherine, 10'-14' (Zone 4) A new, double pink Crab with masses o young plants are covered with flowers 	f two-inc	Katherine h flowers.	
3 to 4 ft	$\frac{1.30}{1.95}$	$\frac{1.10}{1.60}$.90 1.30
- Prince Georges, 10'-15' (Zone 4)		e Georges	
A new Bechtel hybrid. Better foliage a 18 to 24 in		.95	owers. .75
— purpurea, 10'-15' (Zone 4) Jan Rich, reddish purple foliage; crimson flo		urple Cral	oapple
3 to 4 ft	1.10 1.50	.95 1.25	.75 1.00
— sargenti, 6'-8' (Zone 5)		Sargent	
Spreading, straw-colored flowers. Scawinter.			ng all
2 to 3 ft	1.50	1.25	1.00
— scheideckeri, 10'-15' (Zone 5) Double red buds changing to pink. Yel		cheidecker s.	Crab
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.90 1.10 1.50	.75 .95 1.25	.60 .75 1.00

	Unit Pı 1-9	rice in Qua 10-49	ntities 50-249
MALUS spectabilis, 10'-15' (Zone 4)		Flowerin	g Crab
Beautiful, double pink flowers; sweet			
2 to 3 ft	$\frac{.90}{1.10}$.75 .95	.60 .75
— zumi calocarpa, 12′-15′ (Zone 4)		Zum	ni Crab
Has large handsome bright red fruit a good strong growing type.	and large	pink flow	vers. A
2 to 3 ft	.90 1.20	$\frac{.75}{1.00}$	
MAPLE (See ACER)			
MOCKORANGE (See PHILADELPHUS)			
MORAINE LOCUST (See GLEDITSIA MO	ORAINE)		
MOUNTAIN ASH (See SORBUS)			
MOUNTAIN LAUREL (See KALMIA)			
Does well in poor, gravelly soil. Has and glossy green foliage. Good for seas	decorativ shore.	rthern Baj ve, gray b	
18 to 24 in., B&B	$\frac{3.30}{4.50}$	$\frac{2.75}{3.75}$	2.20 3.00
MYRTLE (See VINCA)			
·[N]·			
-			
NINEBARK (See PHYSOCARPUS)			
NYSSA sylvatica, 40'-60' (Zone 4) Handsome foliage which assumes brigh in wet places.		rgum or ' n fall. Wil	
2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B	4.50 5.00 6.00 7.50	3.35 4.10 5.00 6.00	2.65 3.25
·[o]·			
OAK (See QUERCUS)			
OREGON GRAPE (See MAHONIA)			
OXYDENDRON arboreum, 25'-30' (Zone 4) White flowers in August. Leathery to coloring.			rwood utumn
18 to 24 in., B.R	$\frac{1.50}{1.85}$	$\frac{1.25}{1.45}$	1.00 1.20
·[P]·			
PACHYSANDRA terminalis, 6"-8" (Zone 5 Evergreen. Ideal ground cover for shad	,	apanese S	Spurge
1 year, 2 in. pots	.22	.20	.15
45			

Unit Price in Quantities

PARTHENOCISSUS (See AMPELOPSIS)	1-9	10-49	90-249
PEACH, flowering (See PRUNUS)			
PHELLODENDRON chinensis, 25'-30' (Zone	,	Chinese C	
A rapid growing tropical appearing smal difficult city sites. Interesting corky bar		A perfect	tree for
4 to 5 ft	2.25	1.90	
5 to 6 ft	3.40	2.80	• • •
6 to 8 ft. 8 to 10 ft.	$\frac{4.90}{6.25}$	$\frac{4.05}{5.25}$	• • •
PHILADELPHUS—MOCKO	-,		• • •
PHILADELPHUS atlas, 6'-8' (Zone 5)		– Atlas Mocl	rorange
Tall variety and large showy flowers.			
18 to 24 in		.55 .70	.45 .55
→ coronarius, 9'-10' (Zone 4)	S	weet Mock	korange
White fragrant flowers. Profusely borne	e, May	and June.	
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70 .90	.55 .70
— lemoine, 4'-5' (Zone 5)		noine Mocl	
Good, compact habit. Intensely fragran preme dwarf shrub.	it, sing		
12 to 18 in		$.45 \\ .55$.35
18 to 24 in		.55 .70	.45 .55
		ginal Mocl	
Our strain is the true virginalis and semi-double flowers are fragrant and i with the inferior variety which is offer	blooms t is no	all sumn	ner. Its
12 to 18 in		.37	.30
18 to 24 in		.50	.40
2 to 3 ft		.60 .80	.50 .65
5 to 1 tt.		.00	.00
PHILADELPHUS—DWARF GROWING		`	· ·
These beautiful dwarf shrubs with tintense fragrance are ideal for foundati			
— Avalanche, 4'-5'. Graceful arching habit.			
— Bouquet blanc, 4'-5'. White bouquet moch			
— Enchantment, 4'-5'. Double white in thick	k panio	cles.	
— Glacier, 3'-4'. Small double flowers, intens		agrant.	
12 to 18 in		.45	.35
18 to 24 in		.55	.45
2 to 3 ft		.70	.55
PHOTINIA subumbellata, 10' (Zone 6)	0.000.04	Christm	
Slender branched shrub. Shrubby in ch	.aractei		
18 to 24 in		.55 .70	.45 .55
3 to 4 ft		.80	.65
4 to 5 ft		1.20	.95
5 to 6 ft		1.35	1.10
6 to 8 ft		1.75	1.40

PHOTINIA villosa, 15' (Zone 4)		Oriental Pho	otinia
A large shrub; hawthorn-like flowers. (berries.	Colorfu	l fall foliage	. Red
18 to 24 in		.60	.50
2 to 3 ft		.75 .95	$.60 \\ .75$
PHYSOCARPUS opulifolius, 9'-10' (Zone 2)			
Abundant creamy white flowers in Justine shaded areas. Show red seed capsules		ugust on.	
18 to 24 in		.45 .55	.35 .45
3 to 4 ft		.70	.55
4 to 5 ft		.90	.70
—— nana, 5' (Zone 2)		Dwarf Nine	ebark
Dwarf variety of the species.			
18 to 24 in		.60	.50
2 to 3 ft		.75 .95	$.60 \\ .75$
0 10 110		.00	,,,
PICEA albertiana conica glauca, 4'-6' (Zone	3) Dwa	rf Alberta S	pruce
Narrow pyramid. Slow growth with	short	twiggy bran	iches.
Bright green foliage.		4.00	4 70
9 to 12 in., B&B 12 to 15 in., B&B	$\frac{2.25}{3.00}$	$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$
,	9.00		
- excelsa (abies), 80'-100' (Zone 2)		Norway S	pruce
Dark green foliage. Rapid growth.	0.05	1.00	1 50
15 to 18 in., B&B 18 to 24 in., B&B	$\frac{2.25}{2.60}$	$\frac{1.90}{2.20}$	1.50
10 to 21 mi, 202		_,_,	
		ell Norway S	•
Dark green foliage. Dense compact forn spruce.	n. One o	of the finest	dwarf
9 to 12 in., B&B	2.00	1.65	
PIERIS japonica, 5'-6' (Zone 6)	Jar	anese Andro	omeda
Evergreen. Drooping clusters of sm.	_		
in May.			
9 to 12 in., B&B 12 to 15 in., B&B	$\frac{2.40}{3.50}$	$\frac{2.00}{2.90}$	$\begin{array}{c} 1.60 \\ 2.35 \end{array}$
15 to 18 in., B&B	5.00	4.00	
18 to 24 in., B&B	6.75	5.50	
PINUS montana mughus, 3'-4' (Zone 3)		Mugho	Pine
Evergreen. Forms a round-topped clun	np. Use		
ing and foundation work.			
9 to 12 in., B&B	1.95	1.65	

	1-9	10-49	50-249
PINUS nigra, 60'-70' (Zone 2)		Austriai	n Pine
	al		
Evergreen. Rich, dark green. Vigorous,	dense g	grower. Go	od for
background. Thrives at seashore.			
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	5.25	4.40	3.50
2 00 2/2 10, 100	0.20	1.10	0.00
strobus, 80'-100' (Zone 2)		White	e Pine
Probably our most useful and adaptable	nine F	Picturesque	when
old.	pine. 1	reture esque	WIICII
	0.00	0.50	
18 to 24 in., B&B	3.00	2.50	
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B \dots$	4.10	3.50	
— sylvestris, 25'-30' (Zone 2)		Scote	h Pine
Evergreen. A rapid-growing, handsom	e tree,	especiany	wnen
young. Good for windbreaks.			
18 to 24 in., B&B	3.00	2.50	
2 to 2½ ft., B&B	4.10	3.50	
PLANE TREE (See PLATANUS)			
PLATANUS acerifolium (orientalis), 70'-80'	(70no	6)	
TEATANUS acernonum (orientans), 10-80			notnoo
		∡ondon Pla	
A desirable, quick growing street or	park 1	tree. With	stands
smoky condition.			
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in	5.25	4.40	3.50
8 to 10 ft., 1¼ to 1½ in	7.50	6.00	5.00
0 to 11 ft 11/2 to 1/2 in	10.50	8.80	7.00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in			
10 to 12 ft., $1\frac{3}{4}$ to 2 in	13.50	11.00	
— occidentalis, 75'-100' (Zone 5)			
American Planetre	o or Am	perican Syc	amore
Rugged, strong growing. Has smooth,			
	annost i	willte bark	wilen
developed. Very picturesque.	0.00	0.00	4 77
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., 1 to 1¼ in	4.50	3.75	3.00
10 to 12 ft., 1¼ to 1½ in	6.25	5.30	4.25
•			
POLYGONUM auberti, 25' (Zone 4)		China Flee	
Strong growing vine producing foamy s	prays of	f flowers i	n sum-
mer and fall.	1		
1 year		.55	.45
1 year		.00	.10
POPULUS alba bolleana, 50'-60' (Zone 2)		Bolleana	Poplar
Leaves white underneath. Columnar ha	abit Go		
4 to 5 ft.	1.30	1.10	.90
5 to 6 ft.	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
— eugenie, 75'-90' (Zone 2)		Carolina :	Poplar
Rapid grower. Succeeds in dry places a	and nea		
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1¼ in	2.60	2.20	1.75
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.00	2.50
- maximowiczii, 60'-80' (Zone 2)		Japanese :	Donlar
	form		
Dark green foliage. Medium spreading	torm.	Gray-wnite	bark.
A stately, clean tree.			_
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., 1 to 1¼ in	3.00	2.50	2.00
9 to 11 ft., 1¼ to 1½ in	4.50	3.75	3.00
10 to 12 ft., 1½ to 1¾ in	6.00	5.00	4.00
and the answer of the first transfer and the second of the	0.00	3.00	1.00



POPULUS nigra italica—Lombardy Poplar. Excellent full low-branched trees. The perfect tree for screening out unwanted views.

	Unit l 1-9	Price in Qu 10-49	
POPULUS nigra italica, 60'-80' (Zone 2)		Lombardy	Poplar
Tall, spire-like. Good for landscape wor	k and	screens.	
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	1.25	1.00
POTENTILLA fruiticosa, 3'-4' (Zone 2) Blooms profusely, yellow, June-Septemb		_	_
12 to 15 in		.45	.35
15 to 18 in		.55	.45
18 to 24 in			
PRIVET (See LIGUSTRUM)			
PRUNUS cerasifera pissardi (See PRUNUS	Thun	dercloud)	
PRUNUS glandulosa alba, 5'-6' (Zone 6) V Double white flowers in May. Very attr			Almond
12 to 18 in		.50	.40

PRUNUS glandulosa pink, 5'-6' (Zone 6)	Pink I	Flowering	Almond
Double pink flowers in May. Very attractions for potting for spring sales.	ractive.	An indisp	ensable
12 to 18 in		.50	.40
18 to 24 in		.60	.50
2 to 3 ft		.80	.65
— maritima, 5'-6' (Zone 3)			h Plum
Small white flowers, April. Ideal for planting. Edible fruit.			
12 to 18 in	• • •	.50 .60	.40 .50
4 to 5 ft.		1.25	1.00
5 to 6 ft		1.50	1.25
Newport, 10'-12' (Zone 4)		Purplele	af Plum
Rich purple-red foliage which retains	its cold	-	
summer. Compact symmetrical habit.	White 1	flowers in	spring.
2 to 3 ft	$\frac{1.10}{1.30}$	$\frac{.95}{1.10}$.90
4 to 5 ft.	1.85	1.45	1.20
5 to 6 ft.	2.25	1.90	1.50
— padus, 30'-40' (Zone 3)	Euro	pean Bird	Cherry
Long, drooping racemes of white flower	rs. Bla	ck fruit.	
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.10	1.75	1.40
6 to 8 ft	2.60	2.20	1.75
—persica (Amygdalis), 12'-15' (Zone 3)			
A rapid growing, inexpensive, flowering double flowers literally cover the branch We have excellent trees in the followi	nes. Sel	ls on sight	ctacular in pots.
Alba —white, 3-4'; 4-5'. Rosea —pink, 2-3'; 3-4'.			
2 to 3 ft	.90	.75	
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50	1.25	
- subhirtella, 25'-30' (Zone 4)		Higan	Cherry
The native Higan Cherry of Japan. For			
stature, hidden in clouds of pale pink of the hardiest and toughest of all the	flowers e Japan	each spri ese cherri	ng. One es.
3 to 4 ft	2.10	1.75	1.40
4 to 5 ft	2.85	2.35	1.90
5 to 6 ft	$\frac{3.75}{4.00}$	$\frac{3.00}{4.05}$	2.50
6 to 8 ft	$\frac{4.90}{6.75}$	5.50	$\frac{3.25}{4.50}$
— autumnalis, 25'-30' (Zone 3) Autumn			
Small tree. Semi-double flowering in O			*
2 to 3 ft	1.30	1.10	hrme.
2 10 5 11	1.50	1.10	• • •





PRUNUS subhirtella pendula—Weeping Japanese Cherry. Grown on own stems. Absolutely hardy. We stake to assure straight trunks.

PRUNUS subhirtella Beni Higan, 25'-30' (Zone 3) Beni Higan Cherry Upright growing, dense, small tree with clouds of pale pink, single flowers in early spring.

2 to 3 ft.		1.65	1.35	1.10
3 to 4 ft.		2.10	1.75	1.40
4 to 5 ft.	• • • • • • • • • • • • • • • • • • • •	2.85	2.35	1.90

PRUNUS subhirtella pendula, 12'-15' (Zone 3)

Weeping Japanese Cherry

Pink flowers. Our weeping cherries are grown on their own stems, are winter hardy, and very attractive. They make an outstanding specimen, and are ideal to use as a graceful flowering screen. Side limbs can be removed, if desired, making a good standard weeping tree. The smaller sizes are good to pot for sales yards. These trees are preferred by many to top grafted trees. (See picture above.)

2 to 3 ft., own stems 3 to 4 ft., own stems	 $\frac{1.65}{2.60}$	$\frac{1.35}{2.20}$	$\frac{1.10}{1.75}$
4 to 5 ft., own stems	 4.10	3.50	2.75
5 to 6 ft., own stems 6 to 8 ft., own stems	 $\frac{6.00}{7.75}$	$\frac{5.00}{6.25}$	$\frac{4.00}{5.25}$
8 to 10 ft., own stems	9.00	7.50	6.00



PRUNUS Kwanzan—Double flowering Japanese Cherry. Good straight trunked trees with excellent tops. The best of all double pink cherries. (See page 53)

	Unit P 1-9	rice in Qua 10-49	
PRUNUS Thundercloud, 12'-15' (Zone 3) Pur	ple Leaf	Flowerin	g Plum
Rich, purple foliage. The very best of Single pink flowers. We have replaced because it is so much better.	the pu	irple leaf	plums.
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 7 ft.	1.30 1.65 2.10 3.75	1.10 1.35 1.75 3.00	.90 1.10 1.40 2.50
—tomentosum, 6'-7' (Zone 2)		Nanking	Cherry
Fruits are light red; flowers white, bef showy.	ore lear		**
18 to 24 in		.60	.50
2 to 3 ft		.75	.60
3 to 4 ft		$ \begin{array}{r} .95 \\ 1.35 \end{array} $.75 1.10
		Flowerin	
Double pink flowers, April-May. Handso	ome and	-	
18 to 24 in		.75 .90	.60 .70
JAPANESE CHERRI	ES		
PRUNUS amanogawa, 20'-35' (Zone 3) Semi-double pale pink flowers in profus	ion. Na	rrow grov	ver.
2 to 3 ft	$\frac{1.65}{2.50}$	$\frac{1.35}{2.05}$	

PRUNUS Kanzan (Serr. Sekiayama) (Kw Double deep pink. The best double fi			
young, thrifty, and well grown.	iowering	cherry. Ot	ırs are
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.30 2.10 2.85	$1.10 \\ 1.75 \\ 2.35$.90 1.40 1.90
— shirofugen (Serr. Alba-Rosea), 25'-30' (Z	Zone 3)		
Double white. Pink buds.			
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.90 2.70 3.30	$1.50 \\ 2.25 \\ 2.75$	• • •
- shirotae, 20'-25' (Mt. Fuji Cherry) (Zone	. 3)		
Double white.	,		
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.65 2.50 3.40	1.35 2.05 2.80	
- yedoensis, 40' (Zone 3)		Yoshino (Cherry
Fragrant, single, white to pink flowers zan comprise the famous cherry blosses	s. This va om display	riety and	Kwan-
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	$1.75 \\ 2.10 \\ 2.85$	$1.40 \\ 1.75 \\ 2.35$	$1.15 \\ 1.40 \\ 1.90$
EXTRA CHARGE FOR DIGGING CHER			
SCHEDULE, Pages		XD—SEL	Б&Б
PSEUDOTSUGA taxifolia (douglasi), 70'-80	0′ (Zone :	2) Dous	glas-fir
Hardy. Dark bluish green coloring. I location.		-	
2 to 3 ft., B&B	$\frac{4.90}{6.75}$	$\frac{4.05}{5.50}$	
PYRACANTHA coccinea lalandi, 9'-12' (Zo	ne 5) I	aland Fire	ethorn
Evergreen. A beautiful broad-leaved e ters of orange berries in the fall. Need	vergreen	with large	e clus-
12 to 15 in., 6 in. cans 15 to 18 in., 6 in. cans 18 to 24 in., 6 in. cans 2 to 2½ ft., 8 in. cans	1.50 1.95 2.40 4.50	1.25 1.60 2.00 3.75	1.00 1.30 1.60 3.00
— crenulata, 9'-12' (Zone 7)		Nepal Fire	ethorn
Glossy foliage; bright red berries. Edesirable.		-	
12 to 15 in., 6 in. pots	$1.65 \\ 2.00 \\ 2.40$	1.35 1.70 2.00	$1.10 \\ 1.35 \\ 1.60$



QUERCUS palustris—Pin Oak. Straight trunks. Excellent top formation. You find the best at Princeton.

·[Q]·

NURSERY GROWN OAKS

QUERCUS borealis (Rubra), 75'-95' (Zone 4	(a) N	Northern R	ed Oak
A quick growing and clean tree. Fine a	autumn	coloring.	
3 to 4 ft	1.80	1.45	1.20
4 to 5 ft	2.50	2.05	1.65
5 to 6 ft	3.30	2.75	2.20
6 to 8 ft	5.00	4.10	3.30
8 to 10 ft., 1 to 1¼ in	6.60	5.50	4.40
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	9.00	7.50	6.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	12.00	10.00	8.00
— coccinea, 75'-90' (Zone 4)		Scarl	let Oak
Stately, tall grower. Deeply cut leaves.		ng autumn	color.
3 to 4 ft	1.80	1.45	
4 to 5 ft	2.50	2.05	
5 to 6 ft	3.30	2.75	
6 to 8 ft.	5.00	4.10	
8 to 10 ft., 1 to $1\frac{1}{4}$ in	6.60	5.50	
— palustris, 75′-100′ (Zone 4)		Р	in Oak
Most desirable and adaptable. Excellent	autum	ın foliage.	
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.10	1.75	1.40
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft.	4.10	3.50	2.75
8 to 10 ft., 1 to $1\frac{1}{4}$ in	6.00	5.00	4.00
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	8.50	7.00	5.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	11.20	9.50	7.50
10 to 12 ft., 1¾ to 2 in	14.50	11.70	9.50
11 to 13 ft., 2 to $2\frac{1}{2}$ in	18.00	15.00	
QUINCE, FLOWERING (See CYDONIA)			

REDBUD (See CERCIS)

RETINOSPORA (See CHAMAECYPARIS)

RHAMNUS cathartica, 9'-10' (Zone 2) Dark green foliage. Black berries. Very			thorn
18 to 24 in			.40
— frangula, 8'-9' (Zone 2) Excellent foliage. Red berries turning hardy.		Glossy Buck when ripe.	
18 to 24 in		.50 .60	.40 .50
RHODODENDRON catawbiense, 6'-9' (Zone	Cataw	ba Rhodode	
Large rosy purple flowers, May-June. Do	es bes	st in partial :	shade.
12 to 15 in., B&B	2.40	2.00	
15 to 18 in., B&B	3.00	2.50	
18 to 24 in., B&B	3.90	3.25	
— maximum, 8'-10' (Zone 3) Striking light pink flowers, May-June. De		oay Rhodode	
			arcas.
18 to 24 in., B&B	$\frac{3.30}{4.10}$	$\frac{2.75}{3.50}$	
2 to 2½ ft., B&B	5.00		
3 to 4 ft., B&B	6.00		
4 to 5 ft., B&B	9.00		
1 00 0 100, 2002 11111111111111111111111			
— mucronulatum, 6' (Zone 4)	Kore	an Rhodode	ndron
Violet-pink flowers, very early. Handso in fall.	me sc	arlet-tinted	leaves
15 to 18 in., B&B	3.50	2.80	
18 to 24 in., B&B	4.50	3.75	
2 to 2½ ft., B&B	6.00	5.00	
HYBRID RHODODENDE	RONS		
-album elegans, 3'-8' (Zone 4)			
Light bluish buds opening to pure white grower.	flower	rs. A tall, vig	gorous
12 to 15 in., B&B	3.40	2.80	
15 to 18 in., B&B	4.50	3.75	
See also AZALEA for species and varietie	ag com	monly kno	wn as

See also **AZALEA** for species and varieties commonly known as Azalea.

RHODOTYPOS kerrioides (scandens), 4'-5' (Zone 5) White Kerria Fresh green foliage. White flowers, May, June. Shiny bead-like black berries all winter.

18	to 2	4 in.		 	 		 	 			.60	.50
		ft.									.75	.60
3	to 4	ft.	 	 	 		 	 			1.00	.80
4	to 5	ft.	 	 	 	 	 	 			1.50	1.00

RHUS canadensis (aromatica), 4'-5' (Zone 3)	1-0	Fragrant S	Sumac
Clusters of small yellow flowers in Apri coral red fruits in June. Aromatic foliag	l and	_	
12 to 18 in		.37	.30
18 to 24 in		.50	.40
2 to 3 ft		.60	.50
— copallina, 12'-13' (Zone 4) Showy crimson fruits. Rich autumn colo or dry locations.	ring.	Shining S Good in po	
18 to 24 in		.50	.40
— cotinus, 14'-15' (Zone 4)	Con	mon Smok	e Tree
Also called Purple Fringe. Large panic smoke-appearing flowers.	eles o		
12 to 18 in		.50	.40
18 to 24 in		.60 .75	.50 .60
3 to 4 ft		1.05	.85
4 to 5 ft.		1.65	1.35
5 to 6 ft		2.00	1.60
— glabra, 10'-12' (Zone 2) Crimson fruits in bunches. Rich autumn	aolor	Smooth S	
soil.	COIOI	mg. Good n	ı poor
2 to 3 ft		.45	.35
3 to 4 ft		.55	.45
4 to 5 ft		.70	.55
ROBINIA hispida, single stem, 5'-6' (Zone 5) Rosy pink pea-shaped flowers, May, June		Rose	acacia
12 to 18 in		.30	.25
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
ROSA blanda, 4'-5' (Zone 2)		Meadow	Rose
Pink, May. Almost thornless. Reddish br	anche	es.	
18 to 24 in		E0.	40
2 to 3 ft		.50	.40
		.60	.50
3 to 4 ft		.60 .75	.50 .60
	Gold	.60	.50 .60
3 to 4 ft		.60 .75 len Rose of t. Excellen	.50 .60 China
3 to 4 ft		.60 .75 len Rose of	.50 .60 China
3 to 4 ft. hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft.	Jprigh 	.60 .75 len Rose of t. Excellen	.50 .60 China t type .65 .80
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4)	Jprigh 	.60 .75 len Rose of t. Excellen .80 1.00 Pasture	.50 .60 China t type .65 .80
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in.	Jprigh 	.60 .75 len Rose of t. Excellen .80 1.00 Pasture e of the pas	.50 .60 China t type .65 .80 e Rose stures.
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in. 2 to 3 ft.	Jprigh d rose	.60 .75 len Rose of t. Excellen .80 1.00 Pasture of the pas .50 .60	.50 .60 China t type .65 .80 Rose stures. .40 .50
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in.	Jprigh d rose	.60 .75 len Rose of t. Excellen .80 1.00 Pasture e of the pas	.50 .60 China t type .65 .80 e Rose stures.
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - lucida (virginiana), 5'-6' (Zone 3)	Jprigh	.60 .75 len Rose of t. Excellen .80 1.00 Pasture of the pas .50 .60 .75 Virginia	.50 .60 China t type .65 .80 Rose stures. .40 .50 .60
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - lucida (virginiana), 5'-6' (Zone 3) Pink, June, July. Excellent border or Stands neglect.	Jprigh	.60 .75 len Rose of t. Excellen .80 1.00 Pasture of the pas .50 .60 .75 Virginia	.50 .60 China t type .65 .80 Rose stures. .40 .50 .60
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - lucida (virginiana), 5'-6' (Zone 3) Pink, June, July. Excellent border or Stands neglect. 18 to 24 in.	Jprigh	.60 .75 len Rose of it. Excellen .80 1.00 Pasture of the pas .50 .60 .75 Virginia aralizing va	.50 .60 China t type .65 .80 e Rose stures. .40 .50 .60 Rose ariety.
3 to 4 ft. - hugonis, 6' (Zone 5) Bright yellow flowers. Reddish wood. Ushrub rose. 2 to 3 ft. 3 to 4 ft. - humilis (carolina), 2'-3' (Zone 4) The common, sweetly scented, pink, will 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - lucida (virginiana), 5'-6' (Zone 3) Pink, June, July. Excellent border or Stands neglect.	Jprigh	.60 .75 len Rose of it. Excellen .80 1.00 Pasture e of the pas .50 .60 .75 Virginia aralizing va	.50 .60 China t type .65 .80 e Rose stures. .40 .50 .60 Rose ariety.

		20 20	00 210
ROSA multiflora, 9'-10' (Zone 5) Fragrant, white flowers in June. Strong mand for hedges, screens and game of these strong transplants for quick per	onservatioi	i plantin	lar de-
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	• • •	.20 .25 .37 .50	.15 .20 .30 .40
— nitida , 3'-4 ' (Zone 3)		Dwig+1	T Dogo
Deep pink, June. Good for holding planting; good autumn coloring.	banks and	general	Rose mass
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	• • •	.50 .60 .75	.40 .50 .60
— palustris, 6'-8' (Zone 4)		Carroma	o Dogo
Pink, June-August. The best rose for	moist loost	Swam	o Rose
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	moist rocal	.37 .50 .60 .75	.30 .40 .50
- rubiginosa, 5'-6' (Zone 4)			etbrier
Bright pink flowers in June. Good for			
18 to 24 in		.50	.40
2 to 3 ft		$.60 \\ .75$.50 .60
	• • •	.10	.00
-rugosa, 4'-6' (Zone 2)		d Rugosa	
Rich green foliage. Large red fruits. P ber. Good seaside plant.		s June-S	
12 to 18 in.		.45	.35
18 to 24 in	• • •	.55	.45
— wichuraiana white, 10'-12' (Zone 5) Prostrate trailing plant. Rich, shiny f White flowers, late blooming. Excellen	oliage, alm	Vichuriar nost ever cover.	
12 to 18 in., 1 year		.30	.25
18 to 24 in., 1 year		.45	.35
2 to 3 ft., 2 year		.55	.45

·[S]·


SALISBURIA adiantifolia (See GINKGO)

SALIX

The Weeping Willows are very useful in sales yards. Pot small trees for easy handling and quick sales.

SALIX babylonica, 50'-60' (Zones 5 and 6) Babylon Weeping Willow One of the best weepers. Long pendulous branches. Excellent for waterside planting.

4 to	5 ft.	 	1.10	.95	.75
5 to	6 ft.	 	1.50	1.25	1.00
6 to	8 ft.	 	2.25	1.90	1.50
8 to	10 ft.		3.00	2.50	



SALIX niobe—Niobe Weeping Willow. SALIX elegantissima—Thurlow Weeping Willow. We stake our willows to assure good straight trunks.

to assure good straight trainist			
	Unit H 1-9	Price in Qu 10-49	antities 50-249
SALIX caprea, 15'-20' (Zone 4)			Willow
Very desirable for spring effects. Will	do well		
wet locations.		in dry do	Well as
2 to 3 ft		.50	.40
3 to 4 ft.		.60	.50
4 to 5 ft		.75	.60
- elegantissima, 60'-70' (Zone 4)			Willow
Vigorous upright grower; best for stree	et planti	ing.	
5 to 6 ft	1.50	1.25	
6 to 8 ft.		1.90	
8 to 10 ft	3.00	2.50	2.00
— incana, 8'-10' (Zone 4)	E	llaeagnus	Willow
Attractive silvery leaves. Slow grow Olive in appearance.	ing. Re	sembles I	Russian
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
— mutabilis, 5'-6' (Zone 4)	\mathbf{B}^{i}	ig Catkin	Willow
The earliest to bloom of all the pussy curved silver catkins. A handsome low	willows shrub.	, with ver	y large
18 to 24 in		.45	.35
		.55	.45
— niobe, 40'-50' (Zone 4)	Niobe	Weeping	Willow
Weeping form with golden bark.		1 0	
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50

	Unit I 1.9	Price in Qua 10-49	
SALIX pentandra, 20'-30' (Zone 4)	_ 0	Laurel	
Upright. Shiny dark green leaves. Excel	lent in		
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	$\frac{1.10}{1.50}$	$ \begin{array}{c} .95 \\ 1.25 \end{array} $	1.00
ST. JOHNSWORTH (See HYPERICUM)	1.00	1.20	1.00
SHADBLOW (See AMELANCHIER)			
SILVERBELL (See HALESIA)			
SNOWBALL (See VIBURNUM)			
SNOWBELL (See STYRAX)			
SNOWBERRY (See SYMPHORICARPOS)		– .	
SORBARIA aitchisoni, 6'-8' (Zones 5 and 6) Graceful compound foliage. Creamy w tember.			
2 to 3 ft	.75	.60	
3 to 4 ft	.90 1.10	.75 .95	.75
5 to 6 ft	1.50	1.25	1.00
SORBUS aucuparia, 25'-30' (Zone 2)	Europe	ean Mounta	ain-ash
A valuable tree on a small lawn; the striking.			
5 to 6 ft	2.50	2.05	1.65
6 to 8 ft	$\frac{3.30}{4.10}$	$\frac{2.75}{3.50}$	$\frac{2.20}{2.75}$
SOURGUM (See NYSSA)	1.10	0.00	2.10
SOUTHERN BUSH HONEYSUCKLE (See D	IERVI	(LLA)	
SPIREA arguta, 5'-6' (Zone 4)		Garland	Spirea
Very free flowering. Somewhat similar vigorous.	to thu		
12 to 18 in.		.37	.30
18 to 24 in		.50 .60	.40 .50
— billardi, 5'-6' (Zone 4)			
Bright pink, fluffy flower spikes, July locations.	y-Octob	Billiard er. Good i	
2 to 3 ft	• • •	. 50 .60	.40 .50
-bumalda Anthony Waterer, 3' (Zone 4)	nthony	Waterer S	pirea
Useful as a flowering hedge. Easy m flowers all summer. Good fall foliage coearly spring.	ainten	ance. Rose	-pink
9 to 12 in		.25	.20
12 to 15 in		.30	.25
15 to 18 in		.45 .55	.35 .45
2 to 2½ ft		.75	.60
2½ to 3 ft		.90	.70





SPIREA bumalda Anthony Waterer—Anthony Waterer Spirea. Deep rose pink flowers all summer. Makes an excellent colorful informal hedge. Requires no trimming.

	Unit Pr 1-9	rice in Qua 10-49	ntities 50-249
SPIREA bumalda froebeli, 4'-5' (Zone 5)		Frobel	Spirea
Taller and more vigorous than Anthon pink flowers. Hardy in New England wis not.	y Wate here Ai	rer with athony W	bright aterer
15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	• • • • • • • • • • • • • • • • • • • •	.37 .50 .60 .75 .95	.30 .40 .50 .60
— prunifolia plena, 7'-8' (Zone 3)		Bridal	wreath
The true bridalwreath. White double Glossy dark green leaves. Rich fall color		in abur	idance.
12 to 18 in		.37	.30
2 to 3 ft	• • •	.50 .60 .80	.40 .50 .65
2 to 3 ft		.60 .80	.50 .65
2 to 3 ft	Doubl	.60 .80 e Reeves	.50 .65 Spirea





SPIREA vanhouttei—Vanhoutte Spirea. Very adaptable. White flowers come in May and June. Excellent in mass plantings and a Vanhouttei hedge in bloom is an unforgettable sight.

	Unit Pr 1-9	rice in Qua 10-49	
SPIREA thunbergi, 4'-5' (Zone 4)	Γ	Chunberg	Spirea
Slender arching branches covered wit April-May. Feathery light green foliage	h pure		
9 to 12 in		.30 .37	.25 .30
		.50	.40
2 to 2½ ft		.60	.50
2 10 272 11		.00	.00
— tomentosa, 4' (Zone 4) Woolly, rose-pink flowers, July-Septemb plantings.	er. Good		rdhack ground
18 to 24 in		.37	.30
2 to 3 ft		.50	.40
— vanhouttei, 8'-9' (Zone 4) White, May-June. Graceful habit. Free fable and useful shrub.			adapt-
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in	lowering	g. A most	adapt-
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in. 18 to 24 in.	lowering	30 .37	.25 .30
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in. 18 to 24 in. 2 to 3 ft.	lowering	30 .37 .50	.25 .30 .40
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in. 18 to 24 in.	lowering	30 .37	.25 .30
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in. 18 to 24 in. 2 to 3 ft.	lowering	30 .37 .50	.25 .30 .40
White, May-June. Graceful habit. Free fable and useful shrub. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	lowering	.30 .37 .50 .60	.25 .30 .40 .50
White, May-June. Graceful habit. Free flable and useful shrub. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. SPRUCE (See PICEA)	lowering	.30 .37 .50 .60	.25 .30 .40 .50

	Unit Pi 1-9	rice in Qua 10-49	ntities 50-249
STEPHANANDRA flexuosa, 5'-6' (Zone 4)	Cutle	af Stephar	nandra
Graceful, compact habit; handsome folia			
15 to 18 in		.37	.30
18 to 24 in		.50	.40 .50
3 to 4 ft		$.60 \\ .75$.60
STYRAX japonica, 12'-15' (Zone 5)		panese Sn	
White bell-shaped pendant flowers, June			
handsome specimen. The ideal small Azaleas, Kalmia and Rhododendron.			
18 to 24 in., B&B	$3.30 \\ 4.10$	$\frac{2.75}{3.50}$	$\frac{2.20}{2.75}$
2 to 3 ft., B&B 3 to 4 ft., B&B	5.25	4.40	$\frac{2.75}{3.50}$
4 to 5 ft., B&B	7.15	5.85	4.75
5 to 6 ft., B&B 6 to 8 ft., B&B	9.50 11.20	$7.25 \\ 9.50$	$\frac{5.75}{7.50}$
SUMAC (See RHUS)	11.20	0.00	*****
SUMMERSWEET (See CLETHRA)			
SWEET GUM (See LIQUIDAMBAR)			
SWEETLEAF (See SYMPLOCUS)			
SYCAMORE (See PLATANUS)			
SYMPHORICARPOS chenaulti, 6'-8' (Zone 5			_
Brighter berries than vulgaris. Excelle	nt for	_	_
18 to 24 in		.37 .50	.30 .40
3 to 4 ft		.60	.50
- racemosa (albus), 5'-6' (Zone 3)		Snov	vberry
Conspicuous white berries. Attractive fol	liage. Go		
and moist locations.			
18 to 24 in		.37	.30
2 to 3 ft		.50 .60	.40 .50
- vulgaris (orbiculatus), 4'-5' (Zone 3)	• • •		lberry
Coral-red berries through winter. Goo	od in s		
18 to 24 in		.37	.30
2 to 3 ft		.50	.40
	• • •	.60	.50
SYMPLOCUS paniculata, 25'-40' (Zone 5) Deciduous shrub with slender spreading	hranch		eetleaf
fragrant flowers. 18 to 24 in	branch		wille
2 to 3 ft		.55 .70	• • •
3 to 4 ft		.85	
4 to 5 ft		1.00	
SYRINGA chinensis (rothomagensis), 8'-9' (2		Chinese	
Slender branches. Graceful habit. Viole flowering.	t flower		
18 to 24 in		.50 .60	.40 .50
3 to 4 ft		.75	.60
Please order in multiples of 10 shrubs	and otl	ner small	.00
bare root items. See page 2 for exp	ianation	in box.	

	Unit Price		ities)-249
SYRINGA chinensis saugeana, 8'-9' (Zone 5) Deep purple flowers.			
18 to 24 in		.50 .60	.40 .50
3 to 4 ft	• • •	.75	.60
— persica, 9'-10' (Zone 5) Blooms freely; lilac flowers, May-June.		Persian L	ınac
12 to 18 in		.45	
18 to 24 in 2 to 3 ft	• • •	.55 .65	
— villosa, 7'-8' (Zone 2)		Late I	ilac
Pale pinkish-lilac, fragrant. Compact, bus 12 to 18 in	-	20	25
18 to 24 in.		.30 .45	.25 .35
2 to 3 ft		.60	.50
3 to 4 ft		.80	.65
— vulgaris, 12'-15' (Zone 3)	Common	Purple I	ilac
Delicate purple flowers, fragrant, May.		07	0.0
12 to 18 in		.37 .50	.30 .40
2 to 3 ft.		.60	.50
3 to 4 ft		.80	.65
——alba, 12'-15' (Zone 3) Fragrant, white, single flowers, May.	Commor	n White I	
15 to 18 in		.45	.35
18 to 24 in		.55 .70	.45 .55
3 to 4 ft	• • •	.90	.70
FRENCH LILACS—NAMED VARIA	ETIES (Zo	one 3)	
Adelaide Dunbar. Double. Red. 12-18"; 18-24"; Alphonse Lavalle. Double. Blue. 12-18"; 18-24 Belle de Nancy. Double. Pink. 12-18"; 18-24"; Charles Joly. Double. Red. 12-18"; 18-24". Ellen Willmott. Double. White. 12-18"; 18-24". Florent Stepman. Single. White large flower Jan Van Tol. Single. White. 12-18"; 18-24"; 2-3' Ludwig Spaeth. Single. Red. 12-18"; 18-24"; 2-Mme. F. Morel. Single. Red. 12-18"; 18-24". Mme. Lemoine. Double. White. 12-18"; 18-24". Michel Buchner. Double. Pinkish lilac. 12-18" President Grevy. Double. Light blue. 12-18"; President Lincoln. Single. Clear blue. 12-18"; President Poincare. Double. Clear purple. 12 Wm. Robinson. Double. Pink. 12-18"; 18-24".	"; 2-3'. 2-3' 12-18"; 18 . 3'. 2-3'. ; 18-24"; 2-3 : 18-24"; 2-3 : 18-24"; 2-3	3'. 3'. 3'.	
FRENCH LILAC PRIC	ES	50	40
12 to 18 in. 18 to 24 in. 2 to 3 ft.	• • •	.50 . 70 .95	.40 .55 .75



French Lilacs—Named varieties. Our hybrid lilacs are very strong and heavily branched with plenty of flower buds. We grow only the best flowering, strong growing varieties.

·[T]·

TAMARIX parviflora, 12'-14' (Zone 4)			Tamarix
Panicles of pink flowers. Blue-green eve	ergreen-ap	ppearin	g foliage.
2 to 3 ft		.50	.40
3 to 4 ft		.60	.50
4 to 5 ft		.80	.65
— pentandra (amurensis), 12'-15' (Zone 2)	Fives	stamen	Tamarix
Slender and spreading growth. Pink f			
very dry or sandy soils.	.10,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
2 to 3 ft		.50	.40
3 to 4 ft.		.60	
4 to 5 ft.		.80	
1 00 0 100			• • • •
— Pink Cascade (Plant Patent No. 1275) (Z	Zone 3)		
An outstanding novelty. Masses of case	ading fle	sh-pink	panicles
in late summer. Excellent for seashore			1
18 to 24 in		.60	.50
2 to 3 ft		.75	
3 to 4 ft		.95	
TAXODIUM distichum, 75'-100' (Zone 4)	Comm	ion Bal	ldcypress
Tall, pyramidal, symmetrical, deciduo	ous tree,	with	feathery
foliage. Distinct in appearance.	,		v
4 to 5 ft., B&B	6.35	5.25	
5 to 6 ft., B&B	8.00	6.50	
6 to 8 ft., B&B	10.00	8.00	

TAXUS—THE YEWS

TAXUS cuspidata, 10'-15' (Zone 4) Spreading Rich, deep green leaves. Spreading, bushy habit.	Very adar	otable.
15 to 18 in., B&B	$3.75 \\ 5.50$	$\frac{3.00}{4.50}$
——capitata, 25'-40' (Zone 4) Upright Upright form of cuspidata. Broad pyramid.	Japanes	e Yew
12 to 15 in., B&B	2.50 4.40 5.50 7.25	2.00 3.50
Broad, thick leaves, very dark green. Dwarfish spreading habit. Very hardy.	Japanes and irr	egular
9 to 12 in., B&B	$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$
— intermedia, 12'-15' (Zone 4) Hybrid between baccata and cuspidata.	Hybrid	d Yew
12 to 15 in., B&B	3.00 4.40 6.00	2.50 3.50 5.00
	d Uprigh	
An outstanding variety. Excellent dark green fol medium spreading. Shears well. Can be used as hedge or foundation plantings. Full and tight at	a specim	mpact, en for
12 to 15 in., B&B	$\frac{3.00}{4.40}$	
——hatfieldi, 8'-10' (Zone 4) Similar to Hicks Yew, but more compact. 18 to 24 in., B&B	Hatfield	d Yew 3.85
—— hicksi, 20'-25' (Zone 4)		s Yew
Columnar form with upright branches. 18 to 24 in., B&B	4.40 5.50	• • •
THORN, FLOWERING (See CRATAEGUS)		
THUJA—ARBORVITAE		
THUJA occidentalis compacta, 2½'-4' (Zone 4) Parso	ns Arbor	vitae
The finest of all globe type Arborvitae. Very co Rich, dark green foliage. A low "must" for sale	ompact pl es vards.	ants.
9 to 12 in., B&B	1.45 1.70 2.50 3.00 4.05	1.20 1.35 2.00 2.50 3.25





THUJA occidentalis compacta—Parsons Arborvitae. The best oval globe type. Dark green foliage. Low in cost. A money-maker in sales yards.

	Unit P	rice in Qu	antities
	1-9	10-49	50-249
THUJA occidentalis globosa, 3'-4' (Zone 4)	(Globe Arb	orvitae
Rich green. Globe shape.			
9 to 12 in., B&B	1.80	1.45	1.20
12 to 15 in., B&B	2.00	$\frac{1.70}{2.50}$	1.35
15 to 18 in., B&B	$\frac{3.00}{3.75}$	$\frac{2.50}{3.00}$	$\frac{2.00}{2.50}$
18 to 24 in., B&B	5.75	5.00	2.00
—— hoveyi, 3'-4' (Zone 4)	H	lovey Ark	orvitae
Evergreen. Oval in shape, nearly as bro	ad as hi	gh. Brigh	it green
foliage.			
9 to 12 in., B&B	1.80	1.45	1.20
12 to 15 in., B&B	2.00	1.70	1.35
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	4.90	4.05	
—— nigra, 15'-30 ' (Zone 4) Dat	ck Ame	rican Arb	orvitae
New improved strain of American Arbon	vitae: m	nore svmr	netrical
in form, deeper in color, especially du	,		
from cuttings. Very desirable. The best	_		
Dark green. Compact. Shears well.	or the t	aner m	or vitue.
18 to 24 in., B&B	2.25	1.90	1.50
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B \dots$	3.00	2.50	2.00
$2\frac{1}{2}$ to 3 ft., B&B	$\frac{3.75}{5.05}$	3.00	$\frac{2.50}{2.50}$
3 to 4 ft., B&B	5.25	4.40	3.50





THUJA occidentalis nigra—Dark American Arborvitae. The finest of all broad-based pyramid-type arborvitaes. Foliage is a rich dark green. (See page 66)

	1.9	10-49	50-249
THUJA occidentalis pyramidalis, 15'-30' (Zo		midal Ark	orvitae
Bright, rich green foliage, narrow colur	nnar sha	ape.	
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	5.25	4.40	3.50
—— wareana, 12'-15' (Zone 3)	Sib	erian Arb	orvitae
Light green. Fleshy foliage. Broad pyr	ramid. ${f V}$	7ery adap	table.
12 to 15 in., B&B	1.80	1.45	1.20
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00

GOLDEN BIOTA

THUJA orientalis aurea nana, 2½'-3' (Zone 4) Berckmans Golden Arborvitae

Unit Price in Quantities

Extra nice, very full and compact plants. Rich, golden yellow foliage. A very outstanding sales yard variety.

9	to	12	in.,	В&В	 1.85	1.45	1.20
12	to	15	in.,	В&В	 2.10	1.75	1.40
15	to	18	in.,	B&B	 2.85	2.35	1.90

	Unit 1-9	it Price in Quantities 10-49 50-249		
TILIA americana, 75'-90' (Zone 2)		American L	inden	
Grows rather quickly, forming an open low flowers.	head.	Has fragran	t, yel-	
5 to 6 ft	2.60	2.20	1.75	
6 to 8 ft.	3.40	2.80	2.25	
8 to 10 ft.	4.50	3.75	3.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.00	
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.50	6.00	5.00	
— cordata, 70′ (Zone 3) Litt Small leaves. Very symmetrical tree, sindiseases. Very fragrant flower.		European L d for avenue		
4 to 5 ft.	3.30	2.75		
5 to 6 ft.	$\frac{3.30}{4.10}$	$\frac{2.13}{3.50}$		
6 to 7 ft.	5.00	4.10		
7 to 8 ft., 1 to 1¼ in.	6.00	5.00		
8 to 10 ft., 1¼ to 1½ in	8.50	7.00		
— tomentosa, 40'-60' (Zone 4)		Silver L	indon	
, , ,	11 777			
Handsome, dense-headed tree that wi drought. Leaves dark green above, whit			t and	
SOLD OUT FOR SPRING '58—NOW BOO	KING	FOR FALL	'58	
5 to 6 ft	4.10	3.50	2.75	
6 to 8 ft	5.00	4.10	3.30	
8 to 10 ft	6.00	5.00		
HEMLOCK				
TSUGA canadensis, 75'-90' (Zone 4)		Canada He	mlock	
Most graceful and adaptable. Excellent planting. Shears well.	for	hedge or inf	ormal	
1½ to 2 ft., B&B	3.75	3.00	2.50	
2 to 2½ ft., B&B	5.25	4.40	3.50	
$2\frac{1}{2}$ to 3 ft., B&B	6.75	5.50	4.50	
3 to 4 ft., B&B	9.00	7.50	6.00	
TULIPTREE (See LIRIODENDRON)				
·[U]·				
ULMUS americana, 80'-100' (Zone 2)		Americar	ı Elm	
Fast growing, forming graceful head.				
6 to 8 ft	2.25	1.90	1.50	
8 to 10 ft.	3.40	2.80	2.25	
8 to 10 ft., 1¼ to 1½ in	4.50	3.75	3.00	
9 to 11 ft., 1½ to 1¾ in	6.00	5.00	$\frac{4.00}{1.00}$	
10 to 12 ft., 1% to 2 in	7.50	6.00	5.00	
—— Moline, 80'-100' (Zone 2) A remarkable variety with handsome	, larg	Moline e, deeply gr		
foliage.	2.60	9.90	1 75	
6 to 8 ft	2.60	$\frac{2.20}{2.75}$	1.75	
8 to 10 ft., 1 to 1¼ in 9 to 11 ft., 1¼ to 1½ in	4.50	3.75	3.00	
10 to 12 ft., 1½ to 1¾ in	$6.75 \\ 9.00$	$\frac{5.50}{7.50}$	$\frac{4.50}{6.00}$	
	3.00			
— americana "Princeton," 80′-100′ (Zone 2) Princeton Elm A selected strain of American Elm. All budded stock. Good spreading habit. Glossy foliage.				
6 to 8 ft.	2.60	2.20	1.75	
8 to 10 ft., 1 to 1¼ in	4.50	$\frac{2.20}{3.75}$	3.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.75	5.50	4.50	
9 to 11 ft., 1½ to 1¾ in	9.00	7.50	6.00	

	Unit 1 1-9	Price in Qu 10-49	antities 50-249
ULMUS pumila, 50'-75' (Zone 4)		Chine	ese Elm
Forms symmetrical head. Rapid grower. under city conditions.	Good	foliage. Do	es well
4 to 5 ft	1.25	1.05	.85
5 to 6 ft	$\frac{1.65}{2.25}$	1.35	1.10
6 to 8 ft	2.23	1.90	1.50
·[v]·			
VARNISHTREE (See KOELREUTERIA)			
VIBURNUM americanum (trilobum), 8'-9' (A		2) an Cranber	rvbush
Good foliage. Bright scarlet berries all w			
12 to 18 in		.37	.30
18 to 24 in		.55	.45
2 to 3 ft		.70 .80	.55 .70
4 to 5 ft		1.00	.10
5 to 6 ft		1.25	
-burkwoodi, 4' (Zone 5)		kwood Vik	
Medium, open growing. Pinkish white fl fragrant.	owers,		
18 to 24 in., B&B	$\frac{3.00}{4.10}$	$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$
2 to 2½ ft., B&B 2½ to 3 ft., B&B	4.10 4.90		$\frac{2.75}{3.25}$
— carlesi, 4'-6' (Zone 4)	Fr	agrant Vik	nırnıım
One of the most desirable, semi-dwarf, very fragrant flower clusters of white,	flower	ring shrub	
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
2 to 2½ ft., B&B	4.90	4.05	3.25
-cassinoides, 5'-6' (Zone 3)			ithe-rod
White flowers, May-June. Pink berries autumn foliage coloring. Good planted to			
12 to 18 in		.45	.35
18 to 24 in		.55 .70	.45 .55
	• • •		
— dentatum, 10'-12' (Zone 2)			wwood
White flowers, May-June. Blue-black b autumn coloring. Excellent in wet soil.	erries.		
12 to 18 in		.37	.30
18 to 24 in	• • •	.50 .60	.40 .50
3 to 4 ft		.80	.65
4 to 5 ft		1.00	.80
5 to 6 ft		1.25	1.00

Unit Price in Quantities

Please order in multiples of 10 shrubs and other small bare root items. See page 2 for explanation in box.

	Unit Price		ntities 50-249
VIBURNUM dilatatum, 8'-9' (Zone 5)	Lind	len Vibu	rnum
White flowers in May and June. Scarlet late. Very handsome.			
12 to 18 in		.50	.40
18 to 24 in		.60	.50
2 to 3 ft		.75	.60
3 to 4 ft		.90 1.20	
			a troo
 — lantana, 15'-18' (Zone 3) White flowers, May-June. Dark green berries changing to black. 		Vayfarin foliage.	
12 to 18 in.		.37	.30
18 to 24 in		.50	.40
2 to 3 ft		.60	.50
3 to 4 ft		.80	.65
4 to 5 ft		1.00 1.25	.80 1.00
			_,,,
— lentago, 18'-20' (Zone 2) White flowers, May, June. Glossy folias	ge. Blue-bla		
2 to 3 ft		.55	
3 to 4 ft		.70 .90	.75
4 to 5 ft		1.10	.10
— molle, 10'-12' (Zone 5) White flowers, May, June. Large, dark coloring.		ky Vibu age. Goo	
18 to 24 in		.50	.40
2 to 3 ft		.60	.50
3 to 4 ft		.80 1.00	.65 .80
— nudum, 15 ′ (Zone 6) Glossy, waxy foliage, scarlet in fall. S Thrives in wet ground.	Possumh Showy, dari		
12 to 18 in		.45	.35
18 to 24 in		.55	.45
2 to 3 ft		.70	.55
Very similar in habit of growth and fr	European C ruit to Vib		
canum. 12 to 18 in		.37	.30
18 to 24 in.		.55	.45
2 to 3 ft		.70	.55
3 to 4 ft		.90	.70
—— nana, 18"-24" (Zone 3) Very compact. Rarely flowers.	Dwarf C	ranberr	ybush
4 to 6 in		.55	.45
6 to 9 in		.75	.60
——sterile, 9'-10' (Zone 3) White flowers, May, June. Very showy.		mon Sno	owball
12 to 18 in		.45	.35
18 to 24 in		.60	.50
2 to 3 ft		.80	.65
3 to 4 ft		1.00	.80

Please order in multiples of 10 shrubs and other small bare root items. See page 2 for explanation in box.



VIBURNUM prunifolium—Blackhaw. This hard-to-find variety is grown to perfection at Princeton.

	-9 10-49	50-249
VIBURNUM prunifolium, 10'-12' (Zone 3)]	Blackhaw
White flowers, May, June. Blue-black fruit	S.	
10 4 - 04 1-	60 80 1.00 1.25	.65
-rhytidophyllum, 6'-8' (Zone 5)	eatherleaf Vi	burnum
The best evergreen Viburnum. Its large, foliage is especially interesting through cellent when planted in combination wi broadleaf evergreens. Here is a broadle thrives under trees.	out the win th conifers (ter. Ex- or other
15 to 18 in., B&B 2.2 18 to 24 in., B&B 3.0 2 to 2½ ft., B&B 3.7 2½ to 3 ft., B&B 5.2	0 2.50 5 3.00	1.50 2.00 2.50 3.50

- SETIGERUM (See Viburnum theiferum)

— tomentosum, 7'-8' (Zone 4)	Doub	lefile V	Viburnum
White flowers borne in flat heads, June.	Red to	black	berries.
12 to 18 in		.45 .55	



VIBURNUM rhytidophyllum — Leatherleaf Viburnum. This evergreen Viburnum has large distinctive crinkled dark green leaves. Is excellent in mass plantings.

	1-9 Unit	10-49 Price in Qu	00 - 40
VIBURNUM tomentosum plicatum, 7'-8' (Zor Showy white flowers in balls, June. Hanple autumn coloring.			
12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.		.55 .75 .95 1.10 1.35	.45 .60 .75 .90 1.10
— wrighti, 7'-8' (Zone 5) A native of Japan. Upright habit. Bright abundantly.		Wright Vik et fruits pr	
18 to 24 in		.60 .80	.50 .65
VINCA minor, 6"-8" (Zone 5) Trailing evergreen. Glossy foliage. Blue cellent ground cover in sun or shade.		iwinkle or ers in spri	
3 in. pots, 2 year	.30	.25	.20
VITEX macrophylla (latifolia), 3'-4' (Zone 6) Large-leaved Lilac Chaste tree			
Lilac flowers, August, September. Gray-g Prefers sun.			
18 to 24 in. 2 to 3 ft. 3 to 4 ft.		.50 .60 .75	.40 .50 .60
VITIS labrusca, 40' (Zone 5) Very rapid growing vine. Excellent coar quickly cover banks, fences, etc.	se gro		Grape or will
2 year, 2 to 3 ft		.50	



VITEX macrophylla — Large-leaved Lilac Chaste tree. Lilac flowers in August and September. (See page 72)

	Unit Pr 1-9	rice in Qu 10-49	
·[w]·	10	10-15	90-249
WEIGELA Eva Rathke, 4'-5' (Zone 5)			Weigela
Carmine, free-flowering, June-August. 1		ge.	
12 to 18 in		.45 .55	.35 .45
—nana variegata, 6'-8' (Zone 5)	Variogate	d Leaf	Waigala
	variegate	u Lear	vv eigeia
Pale pink flowers; variegated leaves.			
			.35
18 to 24 in			.45
2 to $2\frac{1}{2}$ ft		.70	.55
-rosea (florida rosea), 7'-8' (Zone 5)			Weigela
Pink flowers, June. Strong grower. Go	od foliage		
12 to 18 in		.30	.25
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
4 to 5 ft		.90	.70
	Vanice		
Vigorous growing, red Weigela. Similar			
Eva Rathke. The finest red Weigela. V	Verv hard	V.	11490 10
15 to 18 in		.37	.30
18 to 24 in		.55	.45
		.00	.10
WHITE ASH (See FRAXINUS)			
WHITE KERRIA (See RHODOTYPOS)			
WILLOW (See SALIX)			
WINTERCREEPER (See EUONYMUS)			





WEIGELA rosea.—Pink Weigela. WEIGELA Vaniceki—Vanicek Red Weigela. Both varieties are strong growers and very useful in mass plantings. Their relatively long-blooming period makes them specially interesting. (See page 73)

Unit Price in Quantities 10-49 50-249 WISTERIA floribunda macrobotrys (Multijuga), 35'-50' (Zone 4) Longcluster Wisteria Has long drooping racemes of purple flowers. Unusually fine to cover a trellis or pergola. 2 year grafts75White Longcluster Wisteria Fragrant white flowers. .90 2 year grafts WITCH-HAZEL (See HAMAMELIS) ·[Y]· YELLOWWOOD (See CLADRASTIS) YEW (See TAXUS) ·[Z]· ZELKOVA serrata, 50' (Zone 5) Japanese Zelkova A very refined, medium-sized tree with foliage and growth habit much like the American Elm but not susceptible to Dutch Elm

1.90

2.50

3.00

3.00

3.75

1.50

2.00

2.50

disease. Rare and very desirable shade tree.


4 to 5 ft.

5 to 6 ft.


How to prune your Princeton trees for planting

During the transplanting process, trees of necessity lose a small portion of the root system they formerly had. To insure rapid, vigorous growth in their new location, the top should be pruned back so that there is a favorable balance of root over top. Damaged branches should be trimmed off below the point of injury. The central trunk or "leader" should be left intact to build a high crown and the side branches should be shortened in by at least one-half their length. This seems harsh treatment but the rapid re-growth which results more than justifies it. Broken roots should be cut off above the break and bruised ends cut off cleanly as they will regenerate more rapidly.

Refore Trimming



Pin Oak, Sweet Gum, etc.



Norway Maple, London Plane, Shademaster Locust, etc.

SALES YARD SUGGESTIONS

A properly managed sales yard, or plant market, can be a very profitable operation.

The following suggestions are made to assist you in selecting popular quick-selling varieties and in handling them successfully in your establishment. We will be pleased to help you select the very best plants for your own particular location or requirements.

FLOWERING SHRUBS

Flowering shrubs established in pots or containers are easy to handle, solve your replacement problem, and give you a very long selling season. Moreover, the plants steadily improve in appearance and fullness as the selling season advances. Pot as early in spring as possible.

In potting shrubs a No. 2 Cloverset, or similar sized pot is good for the average size shrub. Use a mixture of 1/3 fibrous peat, 1/3 loam or good top soil and 1/3 sand. Spread the roots evenly in the pot and firm the soil as the pot is filled. Leave a rim of pot 1 to 11/9" above the soil to facilitate watering.

After potting, soak well with a liquid fertilizer at about 1/4 the strength the manufacturer recommends. Place potted plants in a lath house, shaded cold greenhouse, or in a well sheltered area. Shift plants and space out as foliage develops. In caring for all potted material, water thoroughly often enough to keep the soil moist and mellow, but definitely not wet and soggy. Apply liquid fertilizer once a month after growth starts.

SHRUBS — Ideal for Potting

Cercis chinensis	.Chinese Redbud
Clethra alnifolia	
Deutzia gracilis rosea	Rose panicle Deutzia
Euonymus alatus	. Winged Euonymus
Forsythia spectabilis	Showy Border Forsythia
Hydrangea, A.G.	Snowhill Hydrangea
Lonicera tatarica alba	White Tatarian Honeysuckle
Lonicera tatarica rosea	Pink Tatarian Honeysuckle
Lonicera tatarica zabelli	Red Zabell Honeysuckle
Philadelphus lemoine	Lemoine Mockorange (dwarf)
Philadelphus virginalis	Virginal Mockorange
Prunus glandulosa pink	Pink Flowering Almond
Prunus triloba plena	Double Pink Flowering Plum
Rosa hugonis (Shrub-rose)	Golden Rose of China
Spirea bumalda Anthony Waterer	Anthony Waterer Spirea
Spirea prunifolia plena	Bridalwreath
Spirea vanhouttei	Vanhoutte Spirea
Syringa vulgaris	Common Purple Lilac
Syringa vulgaris alba	Common White Lilac
Syringa vulgaris hybrids	French Hybrid Lilacs
Vitex macrophylla	Large-leaf Lilac Chaste Tree
Weigela Eva Rathke	Redflowered Weigela
Weigela rosea	. Pink Weigela

VINES — Ideal for Potting

Euonymus radicans	
Euonymus radicans	colorata Purpleleaved Wintercreeper
Euonymus radicans	vegetus Bigleaf Wintercreeper
Jasminum nudifloru	m

SHADE, ORNAMENTAL AND FLOWERING TREES

New housing has created a remarkable demand for shade and flowering trees. Sales yard operators can capitalize on this demand because potted trees are easy to handle, thrive after planting and can be sold throughout the entire spring season and on into summer. It is best to pot small sized trees for the cash and carry business. Large sizes require too heavy a container and will not go in or on a passenger car.

For potting small trees the No. 4 Cloverset pot, or its equivalent is a good size. Use the same potting soil mixture and procedure as for shrubs. After potting soak thoroughly with liquid fertilizer at 1/4 the strength the manufacturer recommends.

Place potted trees under a high lath shade, or in a protected location and space out as foliage and branches develop. Stake slender or weeping trees with a light bamboo cane. Fertilize with liquid fertilizer once a month.

The following list of trees covers the best varieties for potting and the sizes recommended are easily re-established and handled.

TREES — Ideal for Potting

Acer platanoides, 5/6' & 6/8'
Acer rubrum, 5/6'
Betula alba, 4/5' European White Birch
Crataegus mollis, 4/5' Downy Hawthorn
Shademaster Locust (Plant Patent No. 1515)
Cole's Sunburst Locust Whips (Plant Patent No. 1313)
Moraine Locust Whips (Plant Patent No. 836)
Malus assorted, 4/5' & 5/6' Flowering Crab
Platanus acerifolium, 5/6' & 6/8' London Planetree
Prunus Newport, 3/4'
Prunus subhirtella pendula, 4/5' & 5/6' Weeping Japanese Cherry
Prunus Kwanzan, 4/5' & 5/6' Double Pink Flowering Cherry
Quercus palustris, 5/6' Pin Oak
Salix elegantissima, 5/6' & 6/8' Thurlow Weeping Willow

EVERGREENS AND OTHER BALLED AND BURLAPPED PLANTS

Balled and burlapped plants are of course "tailor made" for the plant market. They are in good demand and are easy to handle.

Display them under a lath house, or in a suitable partially shaded or protected area. Cut the strings around the branches

as soon as they are received. Heel the balls in neat beds of peat moss or sawdust. Moderately raised beds make the plants appear at their best. Label each plant individually as to variety and price.

As soon as active growth begins in the spring, spray every two weeks with a foliar feeding spray at ½ the manufacturer's recommended dilution, or inject the mixture into the balls with a root feeding needle. Plenty of nitrogen is necessary to maintain good foliage color in B&B plants growing actively.

The following list covers the most popular and profitable varieties.

Balled and Burlapped Plants

Abelia grandiflora	Clossy Abolio
Azalea amoena	
Azalea hinodegiri	Hinodegiri Azalea
Azalea Kaempferi Hybrids	Assorted Colors
Chamaecyparis plumosa	Plume Retinospora
Chamaecyparis plumosa aurea	Golden Retinospora
Ilex convexa	Convex Leaved Holly
Ilex microphylla	Little Leaved Holly
Ilex microphylla Juniper chinensis glauca hetzi	Hetz Blue Juniper
Juniper chinensis pfitzeriana	Pfitzer Juniper
Juniper hibernica	Irish Juniper
Juniper excelsa stricta	Spiny Greek Juniper
Kalmia latifolia	Mountain Laurel
Magnolia soulangeana	
Mahonia aquifolia	Oregon Holly Grape
Taxus cuspidata	Spreading Japanese Yew
Taxus cuspidata nana	Dwarf Japanese Yew
Taxus media hatfieldi	Hatfield Yew (upright)
Thuja occidentalis globosa	Globe Arborvitae
Thuja occidentalis nigra	Dark American Arborvitae
Thuja occidentalis pyramidalis	Pyramidal Arborvitae
Thuja orientalis aurea nana (Golden	Biota)
	Berckman's Golden Arborvitae

A HELPFUL SERVICE

WHAT SHALL I PLANT?

To assist in the proper selection of plant material for various conditions, uses and requirements, and to easily classify plants as to fruit, colors, and other characteristics, we refer you to the following lists.

All plants recommended are offered in this catalogue and the use of this reference will enable you to quickly and easily arrive at the proper variety list to cover your needs for any special or unusual requirements.

For a Quick-Growing Screen

TREES

Acer dasycarpum Chamaecyparis pisifera and varieties Picea excelsa Pinus strobus Pinus sylvestris

Populus in variety Pseudotsuga douglasi Salix in variety Thuja occid. pyramidalis Thuja occidentalis nigra Tsuga canadensis

SHRUBS

Eleagnus angustfolia Euonymus bungeanus Ligustrum ibota Ligustrum ovalifolium Lonicera in variety Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

For a Formal Clipped Hedge

TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus cordata
Crataegus crusgalli
Crataegus oxycantha

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tsuga canadensis

SHRUBS

Berberis thunbergi Buxus sempervirens Euonymus alatus Euonymus alatus compactus Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla Ligustrum ibolium Ligustrum ovalifolium Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

For an Informal, Flowering or Fruiting, or Evergreen Hedge

Berberis in variety
Cydonia japonica
Deutzia gracilis
Deutzia lemoinei
Euonymus patens
Forsythia spectabilis
Hibiscus syriacus
Juniperus pfitzeriana
Juniperus hetzi
Lonicera (bush forms)
Mahonia aquifolia
Philadelphus coronarius
Philadelphus lemoinei
Rhodotypos kerrioides

Rosa hugonis
Rosa rubiginosa
Rosa rugosa
Spirea bum. Anthony Waterer
Spirea thunbergi
Spirea Van Houttei
Sorbaria aitchisoni
Syringa alba
Syringa vulgaris
Taxus browni
Taxus hatfieldi
Viburnum dentatum
Viburnum lantana
Viburnum tomentosum

For a Wet Location

TREES

Evergreen

Chamaecyparis thyoides Thuja occidentalis and varieties Tsuga canadensis

Deciduous

Acer dasycarpum and types Acer rubrum Amelanchier canadensis Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus occidentalis
Populus in variety
Quercus palustris
Salix in variety
Tilia americana
Ulmus americana

SHRUBS

Aronia arbutifolia
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus amomum
Cornus stolonifera
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Rosa lucida
Rosa palustris
Salix in variety
Spirea tomentosa
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago
Viburnum opulus

For a Dry Location

TREES

Acer campestre Acer ginnala Ailanthus glandulosa Betula populifolia Celtis occidentalis . Fraxinus lanceolata Gleditsia varieties Koelreuteria paniculata Pinus strobus Pinus sylvestris Quercus coccinea Quercus macrocarpa Sophora japonica Ulmus pumila

For a Dry Location

SHRUBS

Acanthopanax pentaphyllum Amorpha fruticosa Ceanothus americanus Caragana arborescens Colutea arborescens Cornus paniculata Eleagnus angustifolia Eleagnus longipes Juniperus chin. sargenti Juniperus communis and varieties Juniperus horiz. douglasi

Ligustrum in variety

Lonicera tatarica varieties
Lycium chinense
Potentilla fruticosa
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa nitida
Rosa rugosa
Tamarix parviflora
Tamarix pentandra
Viburnum prunifolium

Berry-Bearing Trees and Shrubs

RED BERRIES

Aronia arbutifolia
Benzoin aestivale
Berberis thunbergi
Cornus florida
Cornus kousa
Cornus mas
Cotoneaster dielsiana
Cotoneaster divaricata
Cotoneaster franchetti
Cotoneaster horizontalis
Cotoneaster rotundifolia
Cotoneaster salicif. floccosa
Cotoneaster simonsi
Crataegus coccinea
Crataegus cordata
Crataegus crusgalli
Eleagnus longipes
Euonymus alatus
Euonymus alatus compacta
Euonymus radicans vegetus
Ilex opaca

Ilex verticillata Lonicera maacki Lonicera morrowi Lonicera tatarica Magnolia glauca Malus hopa Malus sargenti Photinia villosa Pyracantha cocc. lalandi Rhus canadensis Rosa blanda Rosa palustris Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum theiferum Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis
Aronia melanocarpa
Berberis verruculosa
Cotoneaster acutifolia
Ilex crenata convexa
Ilex crenata microphylla
Ilex glabra
Ligustrum ibota
Ligustrum regelianum

Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba (sibirica) Cornus stolonifera Cornus paniculata

Myrica carol. (gray) Pachysandra terminalis Symphoricarpos racemosus

Berry-Bearing Trees and Shrubs

DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Viburnum cassinoides Viburnum dentatum Viburnum molle Viburnum nudum

Small or Dwarf Plants for the Border

Abelia grandiflora

Acer palmatum and varieties

Azalea amoena Azalea hinodegiri

Berberis triacanthophora

Berberis verruculosa

Buxus

Ceanothus americanus

Cotoneaster horiz. perpusilla

Cotoneaster microphylla

Deutiza gracilis Deutzia lemoinei

Diervilla sessilifolia

Euonymus radicans and varieties

Hypericum moserianum Ilex convexa (bullata)

Ilex crenata microphylla

Juniperus (spreading types)

Leucothoe catesbaei Mahonia aquifolium

Pachysandra terminalis

Pieris floribunda Pieris japonica Potentilla varieties Prunus glandulosa

Rosa nitida

Spirea bum. Anthony Waterer

Spirea thunbergi

Stephanandra flexuosa Symphoricarpos (various)

Taxus cuspidata nana

Thuja (dwarf & globe forms)

Viburnum opulus nana Zanthorhiza apiifolia

For a Smoky, Dusty, City Situation

TREES

Acer platanoides Ailanthus glandulosa Carpinus betulus Celtis occidentalis Crataegus crusgalli Ginkgo biloba

Ginkgo biloba Gleditsia triacanthos varieties Phellodendron species
Pinus nigra austriaca
Pinus sylvestris
Platanus orientalis
Populus eugenie and
maximowiczii
Sophora japonica

SHRUBS

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety Lonicera fragrantissima Lonicera morrowi Physocarpus opulifolius Rhodotypos kerrioides Spiraea Van Houttei Symphoricarpos in variety Syringa vulgaris

Viburnum cassinoides

For Partially Shaded Locations

TREES

Acer ginnala Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera Magnolia glauca Ilex opaca (Evergreen) Oxydendron arboreum Tsuga canadensis (Evergreen)

SHRUBS

Abelia grandiflora Acanthopanax pentaphyllum Aronia species *Benzoin aestivale Berberis julianae Calycanthus floridus Cephalanthus occidentalis Cercis canadensis and chinensis Clethra alnifolia

For a Partially Shaded Location

SHRUBS

Cornus alternifolia Cornus mas Diervilla sessilifolia

Euonymus fortunei and varieties

*Hamamelis *Hedera helix Hydrangea ar

Hydrangea arborescens grand.

Hydrangea quercifolia Hypericum aureum Ilex crenata microphylla

Ilex glabra *Kerria japonica

*Kalmia

*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Lopicero fragranticcimo

Lonicera fragrantissima Lonicera morrowi

*Mahonia aquifolia

Pachysandra terminalis Pieris floribunda

Pieris japonica Potentilla fruticosa

Pyracantha cocc. lalandi *Rhododendron maximum Rhodotypos kerrioides Stephanandra flexuosa

*Symphoricarpos

Taxus baccata repandens

Taxus cuspidata

Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium

*Vinca minor

Zanthorhiza apiifolia

(*tolerates dense shade)

Trees for Avenues and Streets

Habit—Tall, formal and heavy

Acer platanoides Acer saccharum Liriodendron tulipifera Platanus orientalis Quercus rubra Tilia americana Tilia tomentosa

Habit—Tall, medium to light textured

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Fraxinus lanceolata Ginkgo biloba Gleditsia triacanthos inermis Quercus coccinea Quercus palustris Ulmus americanum

Habit—Medium height for narrow, residential street

Acer campestre
Acer plat. columnare
Betula alba
Celtis occidentalis
Cercidiphyllum japonicum
Koelreuteria paniculata
Liquidambar styraciflua
Phellodendron chinense
Prunus Kwanzan
Prunus yedoensis
Sophora japonica
Sorbus aucuparia
Tilia cordata

For Seashore Locations

TREES

Acer pseudoplatanus Amelanchier canadensis Ilex opaca Nyssa sylvatica Pinus thunbergi Platanus acerifolium Populus alba bolleana Populus eugenei


SHRUBS

Aronia arbutifolia
Clethra alnifolia
Eleagnus angustifolia
Eleagnus umbellata
Hibiscus syriacus
Hydrangea Otaksa
Ilex glabra
Juniperus horiz. Bar Harbor
Juniperus horiz. plumosa
Ligustrum ovalifolium

Myrica pennsylvanicum
Prunus maritima
Rhus species
Rosa rugosa
Rosa blanda
Rosa wichuriana
Syringa vulgaris
Tamarix species
Viburnum dentatum

HARDINESS ZONES of the

UNITED STATES



MAP OF CLIMATIC ZONES 3-7

After each plant name, zone of hardiness is indicated. Many other factors besides winter temperature influence the hardiness and growth of certain plants.

SPECIAL OFFER ASSORTED SHRUBS AND GROUND COVERS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked for assorted plants where the varieties do not have to be specified. We are, therefore, offering three groups of plants this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea, Lonicera and others	.40	.35
GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including many good ornamental varieties as above	.45	.40
GROUP C—Ground Covers, 2 year. Average 15 in. or more, including many excellent low-growing, woody ground covers	.35	.30

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS